

NEW BARN PAINT STOCKISTS OFFER



NEW BARN PAINT STOCKISTS OFFER



A STROKE OF GENIUS TO TRANSFORM...





- Kinder to the environment
- Drying times at 20's Surface dry 20 minu Hard dry 2-3 hours Overcoat 3 hours

SPECIAL OFFER FOR STOCKISTS...

Unique Colour Range of 6 x Standard Colours, 6 x Special Colours & 1 x Suffolk Black.

ORDER: 52 x 5 Litre Tins - minimum 4 of each colour AND RECEIVE...

SPECIAL introductory supported pricing, plus...

- FREE 130 x 250ml Sample Pots (10 tins of each colour)
- FREE 1 x Display Stand
- 1 x Wall Posters
- Full Sales Brochure Pack includes colour swatches.

SPECIAL INTRODUCTORY PRICES

Total Cost Price: £1,149.16 plus VAT

Total Suggested Selling Price: £2,320.32 plus VAT

Gross Margin: £1,171.18 plus VAT

Standard colours: £18.54 per 5 Litres Special colours: £27.44 per 5 Litres Suffolk Black: £17.41 per 5 Litres

MORE INFORMATION & SUPPORT FOR STOCKISTS

To purchase this offer and subsequent orders please contact your local depot or sales representative. For more information about our Barn Paint Range please visit our website: www.withamgroup.co.uk





Woco Barn Paint is supplied at the right viscosity to apply by brush, roller or spray

Preparation is key. This product can be applied to previously painted surfaces, such as weathered bitumen, tar, varnish or creosote, but we recommend the surface is clean, dry and free from contaminants before the application process

This product does not require a primer and is touch dry usually within two hours. After four hours, the product should be able to be re-coated with another layer of Woco Barn Paint if required. For plastics please try a small area first to















SUFFOLK BLACK



GULL GREY



THE

STAITHE GREY



BLAKENEY GREY



SCOLT STONE



SAMPHIRE GREEN



THORNHAM GREEN



BURNHAM GREEN



SEA FOAM



HARBOUR BLUE



ALDEBURGH BLUE



SOUTHWOLD BLUSH

FREQUENTLY ASKED QUESTIONS

WHAT IS WOCO BARN PAINT MADE FROM?

Woco Barn Paint is manufactured using a unique blend of water based acrylic resins with high quality organic pigments to colour.

IS IT NON-TOXIC AND SAFE FOR USE?

Once dry Woco Barn Paint is no more harmful than standard water-based emulsion paint.

HOW DO YOU APPLY BARN PAINT?

You can brush, roller or spray Woco Barn paint.

WHAT IS THE COVERAGE OF WOCO BARN PAINT?

Woco Barn Paint will cover approx. 8 -10 sq. metres per litre. The variance is dependent on application, and of course the substrate you are painting.

WHAT IS THE OPACITY OF WOCO BARN PAINT?

Woco Barn Paint has very good opacity and colour retention. One or two coats would be recommended depending on the substrate to be painted, please consult our technical department for advice on preparation and application.

IS WOCO BARN PAINT SUITABLE TO USE ON THE INTERNAL WALLS OF WOODEN STABLES?

Woco Barn Paint is a water-based acrylic, non-toxic paint and therefore once dry is perfectly suitable for use around animals.

IS WOCO BARN PAINT SUITABLE TO USE ON METAL OR CORRUGATED IRON?

It can be applied to metal but does not have any anti-corrosive additives within the formulation so we would recommend using our water-based Zinc phosphate primer as a first coat (TDS 576).

CAN IT BE USED ON GARDEN DECKING?

Yes, Woco Barn Paint can be used on garden decking.

CAN I PAINT OVER A PRE-PAINTED SHED / FENCE / PERGOLA ETC?

Yes, you can paint directly over an existing painted surface. We recommend the surface is cleaned well and / or rubbed down lightly with sandpaper before applying.

CAN WOCO BARN PAINT BE APPLIED OVER TRADITIONAL CREOSOTE / CREOCOTE / WOOD PRESERVATIVES?

Yes, if the Creosote / Creocote / Wood Preservative is sufficiently weathered and has lost its oily appearance. We would not recommend WOCO Barn Paint to be applied over freshly applied creosote / creocote / wood preservatives due to bleeding.

WILL WOCO BARN PAINT COVER PVC PANELS?

Yes, Woco Barn Paint will cover PVC in one / two coats.

CAN I USE BARN PAINT ON MASONRY / BRICKWORK?

Yes, you can use Woco Barn Paint on masonry and brickwork.

FOR MORE INFORMATION CALL YOUR LOCAL DEPOT