



By Appointment to
Her Majesty the Queen
Lubricant Suppliers & Paint Suppliers
Witham Oil & Paint Ltd, London

witham
GROUP

EQUESTRIAN PAINTS



Blending Quality, Value & Service since 1921
www.withamgroup.co.uk

EQUESTRIAN PAINTS

Our popular Equestrian Paint Range provides a wide choice of high quality and reliable interior and exterior paints and coatings, Not only helping improve the appearance of your home or business these products can enhance the longevity and protection of all surfaces, preventing wood rot, mould, rusting and flaking and are used in many horse racing, livery and equestrian breeding and training centres, throughout the UK.



BARN PAINT

LONG LASTING PROTECTION

Woco Barn Paint provides excellent protection and improved appearance to a huge variety of applications for farms, businesses, homes and gardens.

This remarkable low-toxic, water based paint can be applied straight onto previously painted surfaces.

Made from a unique acrylic resin system our Barn Paint offers a tough, durable, microporous protective coating, with excellent colour retention. Flexible with the substrate, it reduces flaking and blistering, providing a long lasting, attractive coverage.

Available in a range of thirteen coastal inspired colour ways this exciting range is specially formulated to approve the appearance of many outdoor structures.

EASY & SAFE APPLICATION

Woco Barn Paint is supplied at the right viscosity to apply by brush, roller or spray. Preparation is key. This product can be applied to previously painted surfaces, such as weathered bitumen, tar, varnish or creosote, but we recommend the surface is clean, dry and free from contaminants before the application process begins.

This product does not require a primer and is touch dry usually within two hours. After four hours, the product should be able to be re-coated with another layer of Woco Barn Paint if required. For plastics please try a small area first to ensure successful adhesion. Please note unweathered galvanised surfaces may need pre-treating first.

NON-TOXIC BENEFITS:

- Water based
- Low odour and non-toxic
- Kinder to the environment
- Safe to use around people and animals
- Excellent adhesion onto a variety of surfaces
- Drying times at 20°C: Surface dry 20 minutes, Hard dry 2-3 hours - Overcoat 3 hours.



STABLES



GATES



OUTBUILDINGS



BEFORE



AFTER



For more information about our Barn Paint Range or to order a sample pot please contact your local depot or your local stockist alternatively, visit our website at: www.withamgroup.co.uk



SUFFOLK BLACK



GULL GREY



STAITHE GREY



BLAKENEY GREY



CLEY WHITE



BURNHAM GREEN



SCOLT STONE



ALDEBURGH BLUE



THORNHAM GREEN



SAPPHIRE GREEN



SEA FOAM



HARBOUR BLUE



SOUTHWOLD BLUSH

WOODCARE PAINTS & COATINGS

WATER BASED TOP COAT

Our outstanding top coat gives a high sheen and protective coating and provides excellent overall weather resistance. It can be used on both interior and exterior woodwork and is based on a unique high quality acrylic dispersion, which gives an unbeatable finish. This popular and reliable top coat is ideal for window frames and doors, conservatories, cladding and outbuildings.

Benefits:

- Good weather resistance
- Interior & exterior use
- Easy to apply.

WOCO ALUMINIUM WOOD PRIMER

A quality primer based on an oleoresinous medium pigmented with aluminium flake. It is particularly suitable for priming naturally resinous woods or timber which has been treated with solvent based wood preservatives, but it is not suitable for use over tar oil type preservatives.

Benefits:

- Easy to apply
- Available in silver grey.

WATER BASED UNIVERSAL PRESERVER

This is a Barretine Product that we highly recommend and is used as the first step in the preparation of wood restoration and decorating. A water based, quick drying treatment for both wet rot, dry rot, wood boring insects. A very low odour formulation which is ideally suited for enclosed and external use prior to coating with paint, varnish or sealer. It is compatible with our Stain Blocking Primer and outstanding top coat.

Benefits:

- Water based
- No mixing (ready to use product)
- Targets existing wood boring insects and rots
- Prevents new rot and insect infestation
- Virtually odourless and non flammable
- 4 hour re-entry period following treatment, subject to physical barrier until surfaces are dry.

WOODCOTE EXTERIOR WOOD STAIN

This is an oil based, high solids, excellent exterior wood treatment. This wood stain comes in a choice of transparent or 19 different colours to help enhance woodwork of many types.

Benefits:

- Easy to apply
- Enhances the texture of wood
- Excellent overall weather resistance.

WATER BASED STAIN BLOCKING PRIMER

A highly effective, lead free, water based stain blocker which is ideal for both interior and exterior woodwork. Easy to apply, this product is designed to tackle those difficult to coat woods such as oak and cedar. It dries rapidly to form a smooth film which helps towards a top quality finish. This product can also be used as a first class base coat for most decorative finishes.

Benefits:

- Lead free, water based primer
- Easy to apply and quick drying
- Ideal for interior and exterior use.

TIMBERLAST COMPLETE WOOD PROTECTOR

Timberlast wood protector is an economical solvent based, ready to use wood treatment. It protects, colours and penetrates the timber and uses biocide preservers to prevent the decay and surface growth of moulds. It is ideal to decorate and protect sheds, fences, trellis, decking and any timber structures where a translucent colour and water repellent finish is required, whilst leaving the wood grain visible. It is harmless to plants when dry and uses UV resistant pigments.

Benefits:

- Contains waxes for water repellency
- Attractive range of translucent shades
- Light Brown, Dark Brown, Clear, Red Cedar, Forest Green
- Flash point above 32 degree centigrade
- Prevents surface mould growth.

CREOCOTE

Available in "Nut Brown" Dark shade, Creocote is ideally suited to protect and improve the appearance of rough woods such as sheds, fences and barns and provides excellent surface water repellency, so restricting weather damage.



Creocote can be used on a variety of exterior woods not only to protect and preserve but also to improve grain definition. The product exhibits the characteristic odour familiar to traditional creosote users, but is an oil-based effective substitute treatment for exterior woods developed as a safer, more environmentally friendly alternative.

Creocote can be applied by either brush or spray, and can be used by the general public as well as the trade. It is available in either 4, 20 or large barrel 205 litre containers.

Traditional Creosote

Traditional Creosote has been withdrawn from sale by many organisations due to its potential impact on the environment. We do stock traditional Creosote but only to professional users, and supplied in a minimum of 25 litre or 200 litre barrels. (The sale of this effective wood protection is governed by EU environmental and health and safety legislation and can only be sold to trade account customers).

PADDOCK FENCING



ARENAS & OUTBUILDINGS



GALLOPS



WIDE RANGE OF COLOURS AVAILABLE





TOP COATS & FINISHES

SUPERCOTE ENAMEL GLOSS PAINT

An extremely popular single pack synthetic paint which exhibits an extreme gloss finish combined with excellent usability and durability. This product has a wide range of uses, but is particularly suitable for agricultural machinery, on highway and off-highway vehicles, industrial buildings plus interior and exterior metal and wooden cladding of industrial and domestic buildings.

Benefits:

- Extreme high gloss finish (also available in matt and semi-gloss finishes)
- Drying times: 2 – 4 hours
- Can be used on Metal, Wood, Concrete, Plastic etc.
- Good resistance to chemicals
- Can be used where force drying is required (up to 70°C).



The Supercote paint range is available in a whole range of OEM, RAL, BS4800 and BS381c colours. Colour fans available on request.

QUICK DRY GLOSS PAINT

A very quick drying finish paint, ideal for jobs requiring a fast turnaround. This product is great for plant, haulage and agricultural machinery where "down time" for maintenance needs to be kept to a minimum.

Benefits:

- Fast drying for rapid handling
- Available in gloss, semi- gloss, satin and matt finishes
- Good resistance to petrol
- Available in a full range of BS4800, BS381C, RAL and Agricultural shades.

CHLORINATED RUBBER PAINT

An air drying, single pack system resistant to a wide range of chemicals, including acids, alkalis, oxidising agents, inorganic salts, moist gases, sewage and mineral oil. It is ideally suited for application to brickwork, slate roofs, steel, chemical storage tanks, bridges, marine equipment, swimming pool surrounding walls, floors and ceilings, sewage tanks etc. Ideal for veterinary clinics, milking parlours, stables, kennels and catteries and can be used in ornamental ponds and pond features.

Benefits:

- High chemical and abrasion resistance
- Resists mould and fungus growth
- Provides a high level of gloss.

BLACK BITUMEN SOLUTION

A general purpose waterproofing coating for application to iron, steel, weathered galvanise and concrete. Turns matt on prolonged exposure to UV light.

Benefits:

- Withstands temperatures up to 75°C
- Apply by brush, but can be sprayed or dipped.

BRUSHSTROKES EMULSION

Woco Matt Emulsion is a high quality, multi-purpose contract emulsion formulated to provide a full-bodied, high opacity, matt finish for use on all interior walls and ceilings. White and Magnolia are standard and other colours are easily made to order.

Benefits:

- Multi-purpose
- Easy to apply
- Formulated to give a matt finish.

EXTERIOR EGGSHELL MASONRY FINISH

A product designed to give a tough, durable coating on a wide range of surfaces, including cement render, concrete, brickwork, asbestos, fibre cement sheeting and plasters.

Benefits:

- A tough, durable coat
- Allows the substrate to breathe
- High degree of resistance to washing and alkali
- Easy to apply.

EXTERIOR MASONRY FINISH - HIGH BUILD

Woco Exterior Masonry Finish is a premium quality, pliolite solvent-based paint formulated for exterior use on cement rendering, rough cast, brick and concrete. It provides a smooth matt finish that has excellent adhesion to previously painted and suitably sealed surfaces. The pliolite resin provides a strong protection against severe weather conditions and erosion.

Benefits:

- Does not blister, flake, chalk, stain or discolour and is resistant to mildew
- Non-oxidising and therefore remains flexible
- Retains a fresh and pleasing flat finish as dirt is washed off by heavy rain
- Expands and contracts with changing temperatures
- Resists exposure to ultra-violet light.

UNDERCOATS & PRIMERS SUPERCOTE PRIMER UNDERCOAT

The ideal, all round primer and undercoat specifically designed for use with our Supercote Enamel Gloss top coat. Suitable for use on ferrous metal, and many other surfaces.

Benefits:

- Contains Zinc Phosphate for corrosion protection of the steelwork
- Eggshell finish to improve gloss hold up of Supercote enamel gloss paint
- Flash point above 32°C
- Can be used where force drying is required (up to 70°C)
- Available in a choice of 5 colours: White, Buff, Pale grey, Mid grey and Red oxide.



RACECOURSES



FENCES & RAILINGS



GRILLS & GATES



STABLE BLOCKS



WALLS & BRICKWORK



HORSE BOXES



HORSE JUMPS





FLOOR PAINTS

KOVERFLOR TYPE F POLYURETHANE FLOOR PAINT

Koverflor Type F is an outstanding polyurethane based, quick drying, single pack floor paint. It gives a tough abrasion resistance finish and can be applied to clean, dry mature concrete, brickwork, quarry tiles, stone, wood and linoleum.

This oil and petrol resisting paint prevents cement based floors from 'dusting up' and comes highly recommend for many businesses. It's especially used in garage workshops, showrooms, offices, corridors and high volume pedestrian traffic areas that are subject to hard wear.

Benefits:

- Based on lead free pigments better for the environment and applicator
- Can be applied to concrete, brickwork, blasted steel and wood
- Formulated to give a highly durable finish.



KOVERFLOR TYPE D EPOXY FLOOR PAINT

This ever popular product gives an outstanding hardness and abrasion resistant coating. Designed to be resistant to a wide range of chemicals, detergents, minerals, vegetable oils and a large majority of solvents. Koverflor Type D can be applied on newly laid and mature concrete, quarry tiles and paving stones.

Benefits:

- Iso-cyanate, free better for the environment and applicator
- Can be applied to concrete, brickwork, blasted steel and wood to give a highly durable finish
- Exceptional chemical resistance.

KOVERFLOR CHLORINATED RUBBER FLOOR PAINT - TYPE B

This rubber based floor paint is designed for strong alkaline surfaces, such as new concrete floor, or where a high degree of chemical resistance is required. Koverflor Type B can help protect floors with a high resistance from chemicals such as acids, petrol, lubricants and urine. This extremely robust paint is ideal for use in chemical plants, water works, sewage installation, milking parlours, canteens, dairies, workshops, stables, kennels and farms.

Benefits:

- Extremely good chemical and urine resistant
- Extremely high level of abrasion resistance
- Tolerant to aggressive cleaning methods.

CHLORINATED RUBBER BASED LINE MARKING PAINT

This heavy-duty chlorinated rubber line marking paint is designed to be applied directly to concrete, wood and tarmac surfaces. It offers exceptional durability and a high resistance to abrasion caused by road traffic, ideal to mark out hazards, roadways and parking bays.

Benefits:

- Excellent chemical and weather resistance
- Excellent adhesion
- Fast drying for rapid handling
- Available in White, Yellow and Red
- Bespoke order available on request.



WE'RE HERE TO HELP...



Need some extra clarification on which paint to use? Please contact our Technical Department or your local depot. We are here to help with:

- ✓ Technical Queries
- ✓ Bulk Orders
- ✓ Opening a Trade Account
- ✓ Delivery Questions



WITHAM OIL & PAINT LTD

☎ LINCOLN 01522 521192

☎ SOHAM 01353 723373

☎ LOWESTOFT 01502 563434

www.withamgroup.co.uk