



By Appointment to
Her Majesty the Queen
Lubricant Blenders & Paint Suppliers
Witham Oil & Paint Ltd, Lincoln

witham
GROUP

PAINTS & COATINGS

PRODUCT RANGE



British Manufacturer of Quality Lubricants & Paints since 1921

www.withamgroup.co.uk



PAINTS & COATINGS



SPECIALIST EXPERTISE

Trading since 1921, The Witham Group is now one of the UK's leading manufacturers of a whole range of commercial and industrial lubricants and paints. Today we are proud to be preferred suppliers of award-winning oils, greases and other essential products to a huge array of businesses across the UK and abroad. We offer a wide range of quality lubricants, greases and paints as well as useful workshop, rust prevention and cleaning solutions. Our technical expertise and commitment to outstanding customer service means we can help you find the right paint for the right application.



INDUSTRIAL PAINTS & COATINGS

Page 6



UNDERCOATS & PRIMERS

Page 8



FLOOR & LINE MARKING

Page 10



SPECIALIST PAINT

Page 12



DECORATIVE PAINTS

Page 14



QUALITY PAINTS & COATINGS

Woco is the Brand name for our own range of quality paints and coatings and signifies true expertise and quality. Our tried and tested products are made from high quality raw materials and are continually tested to the highest international standards to give customers the ultimate reliability on every application. We supply one of the largest ranges of industrial paints and coatings in the UK to suit all sectors of business and trade use.

We also offer a range of decorative materials, cleaning products, preparation and application equipment. Our unique paints and coatings range is designed to offer to the trade and public reliable, quality products all under one roof.



BARN PAINT

Page 15



WOODCARE TREATMENTS

Page 16



EQUESTRIAN PAINT RANGE

Page 18



MARINE & ANTI-FOULING PAINTS

Page 20



PAINT ACCESSORIES

Page 22



WORKSHOP & CLEANING

Page 24





WHY WITHAM?



CUSTOMER CHOICE

Witham's Woco Trade Paint is our premium quality professional paint brand and is widely used by contractors, manufacturers suppliers, decorators and builders. It is available for use in domestic and commercial environments. Specialising in industrial applications, floor paints and woodcare products, we can also supply paints and coatings from a variety of market leading manufacturers such as:



BRITISH COATINGS FEDERATION

We are proud to be members for the BCF, a body which encourages industry best practises and helps drive improvements within the industry.



ROYAL WARRANT

A Royal Warrant has always been regarded as demonstrating a very high standard in personal service, quality, excellence and innovation. Companies can only reach that status through careful and efficient management. There are around only 850 Royal Warrant Holders in the world representing companies from a huge cross section of trade and industry.

Witham Oil and Paint Ltd are extremely proud to have been awarded the Royal Warrant for the goods and services we supply to HM The Queen. The Royal Warrant helps underline our company's commitment to maintaining and building its reputation as producers of the finest quality lubricants and paints. As members of the Royal Warrant Holders Association, we are united and committed to the highest standards of service and business excellence.



UNIQUE SERVICE

The Witham Group is so proud of its heritage and the emphasis it places on the service to all of our customers, whether old or new, big or small. Having been trading since 1921 we know the importance of having firm standards of operations in place as the cornerstones of a good business and supporting those that work for us and those in our communities.

Our independence gives us the refreshingly personal and long term approach to customers and our service and flexibility on deliveries and order times are second to none. There are a number of ways you can purchase our quality lubricants & paints. Either from our online shop, at one of our 3 depots, or call us to place an order or apply for a trade account.



In Store



By Phone



Online Shop

COLOUR MATCHING

With colour approvals from hundreds of Original Equipment Manufacturers (OEMs) we offer our paints in the full RAL, BS4800 and BS381C colour ranges as well as our own Supercote colour range. We can also tint paints to suit the specific colour choices of individuals whatever the decorative finish.



TECHNICAL HELP

Backed by years of experience in providing paints and coatings for industries including; industrial, woodcare and joinery, floor and line marking, decorative, marine and anti-fouling, equestrian, and many other specialists' products, we offer market leading technical paint support to our customers.

We also understand that technical support begins before the paint is even applied, and offer advice from initial application through to speedy delivery and aftercare support. Our Technical Support team includes specialists in all areas including:

- Application evaluation and help with finding the right product for the job
- Pre-treatment effectiveness
- Avoidance of waste
- Cleaning
- Problem solving

Wherever possible, low impact raw materials are used to minimise the effect on our environment and on the end user. Our technical team is available by telephone or email to answer any lubricant or paint queries on any application, five days a week.





ENVIRONMENT

We make a vast quantity of oils, and greases and supply a huge amount of paints and coatings throughout the UK. Both these industries operate where traditionally additives, chemicals and fossil based products are essential to the manufacturing process, but we are now totally committed to ensuring that wherever possible the environment is at the heart of our activities.

We work hard to create a "greener" culture. From harvesting rainwater from our factory roofs to installing solar panels, from improved waste disposal procedures to installing low energy lighting and in recent months we have developed a unique blending process using sonic and electric power only fed from solar energy, which enables our manufacturing process to reduce our carbon footprint drastically.

PAINTS & THE ENVIRONMENT

Paints and Coatings perform a positive environmental function in protecting and decorating surfaces. They are used to preserve timber and enable us to use less precious hardwoods and replace them with renewable-forest soft woods, which would otherwise be unsuitable for construction purposes. Coatings also save valuable metals like steel and aluminium, and the fuel needed to make them, by preventing corrosion.

However, decorative coatings have an impact on the environment at each stage in their life cycle-during production, during application and during disposal. The two biggest environmental effects associated with coatings are the emission of Volatile Organic Compounds (VOCs) and the disposal of surplus materials.

In recent years the demand for a safer, cleaner environment has led to the drive to limit the amount of VOCs allowed in coating products and reducing these limits over the coming years. In addition, the development of new alternative low VOC products and clear labelling of VOC content of each decorative product are all helping to protect consumers and the environment wherever possible.

No decorative coating is entirely environmentally friendly and some high gloss paints, aerosols and some other specialist paints in particular need higher VOC levels for performance and, at present, there is no low VOC substitute for these. However, water based products generally contain lower levels and are much more easily available along with low solvent products.

SUMMARY

We comply with the relevant environmental legislation and industry codes of practice as a minimum level of performance. In addition we continually strive to reduce the use and cost of energy, water, packaging, paper and fuel and actively encourage and promote recycling, waste reduction and pollution control throughout our group of companies. Our aim is to operate with corporate care and social responsibility.

"We recognise that promoting sustainability and protecting the environment is of the utmost importance, not only for the here and now, but for the future of us all and our families".

Nigel Bottom, M.D.



COMMUNITY SUPPORT

For many years now The Witham Group has supported a variety of local causes and charities. We are delighted to have raised over £80,000 for many national and local causes close to the hearts of our staff and their families. From lawnmower races to speedboats championships, Scout Groups to classic car clubs, we have held visits, sponsored customers and colleagues and donated our oil or paint products to help put something back into our community.

We also attend the Suffolk, Lincolnshire and Royal Norfolk shows each year, along with the many national and local Agricultural Trade shows, such as LAMMA and MMS, where we ensure existing and prospective customers get the chance to find out what we do and how we can help them.



MOTORSPORT & MOTUL

We are immensely proud to be UK importer and distributor of the world renowned Motul Automotive Products. We love all things racing and our reputation across the line is very enviable. From power boat racing to Goodwood revival, British Touring cars to track days, we supply drivers, engine builders, race teams and distributors with our enviable range of products and experience.

We also supply paints and coatings for racetracks and garages including floor paints and are proud to supply our paint to Silverstone racetrack, the home of British Motor Racing.





A range of topcoats for metal and machinery for use over our wide range of primers and undercoats that provide the ultimate finish and protection as well as appearance. Our range includes quick drying options as well as twin pack finishes all tested for reliability and performance.

SUPERCOTE ENAMEL GLOSS PAINT	TDS	APPLICATION	BENEFITS
An extremely popular single pack synthetic, fast drying, paint which exhibits a high gloss finish and offers excellent durability. This product has a wide range of uses, but is particularly suitable for vehicle refinishing, industrial applications, interior and exterior of clad and many other industrial buildings. Available in an extensive range of OEM, RAL, BS4800 and BS381c colours.	370		<ul style="list-style-type: none"> • Fast drying for rapid handling • High gloss finish 85% minimum at 20° reflectance • Flash point above 32°C • Can be used where force drying is required (up to 70°C) • Good resistance to petrol • Available in matt, eggshell, satin and semi-gloss finishes.
QUICK DRY GLOSS PAINT	TDS	APPLICATION	BENEFITS
A very quick drying finish paint, ideal for jobs requiring a fast turnaround. This product is great for plant, haulage and agricultural machinery where "down time" for maintenance needs to be kept to a minimum.	227		<ul style="list-style-type: none"> • Fast drying for rapid handling • Available in gloss, semi-gloss, satin and matt finishes • Good resistance to petrol • Available in a full range of BS4800, BS 381C, RAL and Agricultural shades.
QUICK DRYING POLYURETHANE GLOSS PAINT	TDS	APPLICATION	BENEFITS
This fast drying gloss offers excellent adherence and toughness, yet leaves a high level gloss finish. Resistant to oil and petrol, this is ideal for machinery and vehicle use	599		<ul style="list-style-type: none"> • Fast drying for rapid handling • Once dry forms a tough hard knock resistant finish • Good resistance to petrol • Available in a full range of BS4800, BS 381C, RAL and Agricultural shades.
BLACK BITUMEN SOLUTION	TDS	APPLICATION	BENEFITS
A general purpose waterproofing coating for application to iron, steel, weathered galvanise and concrete. Turns matt on prolonged exposure to UV light.	122		<ul style="list-style-type: none"> • Withstand temperatures up to 75°C • Apply by brush, but can be sprayed or dipped.
METAL PRESERVATIVE PAINT	TDS	APPLICATION	BENEFITS
A highly protective coating which is excellent for farm buildings, storage tanks and workshop facings.	360		<ul style="list-style-type: none"> • Easily applied, resulting in good opacity • High gloss and excellent durability • Surface dry in about 4 hours • Available in an extensive range of OEM, RAL, BS4800 and BS381c colours.



ZINC PHOSPHATE QUICK DRYING HB SEMI-GLOSS PAINT	TDS	APPLICATION	BENEFITS
This high performance coating is designed to dry under normal conditions within forty minutes to provide a tough, durable and semi-gloss coating. It can be applied to both primed and unprimed surfaces as well as cleaned and degreased steel. For optimum durability primed steel is recommended.	443	  	<ul style="list-style-type: none"> • Fast drying for rapid handling • Can be applied directly to steel as a one coat system • 75 microns dry film can be achieved in one coat • Available in a pleasing satin finish • Good resistance to petrol • Available in a full range of BS4800 and RAL shades.
ISO-CYANATE FREE GLOSS PAINT	TDS	APPLICATION	BENEFITS
This two part product has extremely high levels of gloss and toughness and offers exceptional weather resistance. Less harmful to the environment, this paint can be oven baked for best results for OEM use and many other shot blasted metal surfaces. It provides excellent longevity of finish.	556	  	<ul style="list-style-type: none"> • Iso-cyanate free better for the environment and applicator • Can be used as a one or two coat system • Formulated to cure at ambient temperature • Best results obtained by oven baking • Exceptional weather resistance • Excellent chemical and water resistance.
POLYURETHANE ENAMEL GLOSS PAINT	TDS	APPLICATION	BENEFITS
This two part product is designed where a high gloss and high chemical resistance is required, such as lorry cabs, vans and other industrial equipment. It offers exceptional weather resistance and can be applied by either brush or roller.	451	  	<ul style="list-style-type: none"> • Exceptional chemical and solvent resistance • Exceptional weather resistance • Exceptional mechanical film properties • Mixing ratio of 2/1 by volume • Exceptional weather and chemical resistance • Available in white and range of BS and RAL shades.
CHLORINATED RUBBER PAINT	TDS	APPLICATION	BENEFITS
An air drying, single pack system resistant to a wide range of chemicals, including acids, alkalis, oxidising agents, inorganic salts, moist gases, sewage and mineral oil. It is ideally suited for application to brickwork, slate roofs, steel, chemical storage tanks, bridges, marine equipment, swimming pool surrounding walls, floors and ceilings, sewage tanks etc.	480		<ul style="list-style-type: none"> • High chemical and abrasion resistance • Ideally suited for application to brickwork • Resist mould and fungus growth • Provides a high level of gloss.
ACRYLATED RUBBER PAINT	TDS	APPLICATION	BENEFITS
A fast drying, single pack finish, which has mild resistance to a wide range of chemicals. Suitable for use in damp or moist environments, is ideally suited for application to pool halls on moisture resistant surfaces. Recommended for a huge variety of commercial and industry uses including marine environments and boats.	299		<ul style="list-style-type: none"> • High chemical and weather resistance • Provides a high level of gloss • Available in BS4800 & RAL colours.
	297		

POWDER COATING

Powder coat paint is an essential product throughout the industrial sector. As an increasingly popular finishing solution for the manufacturing market in particular, powder paint delivers a number of advantages when compared with other coatings.

Powder coating is a type of dry coating which is applied as a free flowing dry powder. The coating is applied electro-statically and is then "cured" under heat to allow it to flow and form a skin, which provides a hard, durable, protective coating. It is used to create a hard finish that is tougher than conventional paint and used mainly on metals such as galvanised steel, aluminium, car and vehicle parts. Available in a wide range of colours and finishes. Supplied in 25kg boxes.





Applying the correct primer or undercoat is crucial to ensure good adhesion and long lasting protection for the finished coating. Our range of industrial undercoats and primers come with extensive options such as quick drying, zinc free and water based products for a whole range of metal applications.

SUPERCOTE PRIMER UNDERCOAT	TDS	APPLICATION	BENEFITS
The ideal, all round primer and undercoat specifically designed for use with our Supercote Enamel Gloss top coat. Suitable for use on ferrous metal, and many other surfaces.	371		<ul style="list-style-type: none"> Contains Zinc Phosphate for corrosion protection of the steelwork Eggshell finish to improve gloss hold up of Supercote enamel Flash point above 32°C Can be used where force drying is required (up to 70°C) Available in White, Buff, Pale grey, Mid grey and Red oxide.
90% ZINC RICH PRIMER	TDS	APPLICATION	BENEFITS
An extremely heavy duty, anti-corrosive coating, which is ideal for extending the life of steelwork. A form of cold galvanising, this product has been awarded "Best Buy" in Practical Classics magazine.	117		<ul style="list-style-type: none"> Contains metallic zinc pigment that offers sacrificial protection of the steel Excellent adhesion to steelwork Can be overcoated with conventional oxidisable and chlorinated rubber systems Suitable for use in areas where high corrosion is expected Fast drying for rapid handling.
ZINC PHOSPHATE PRIMER QD HB	TDS	APPLICATION	BENEFITS
A highly effective, premium quality, rapid drying primer for the protection of steelwork. It is anti-corrosive, with excellent adhesion to steel work and gives an extremely strong matt finish on metal surfaces.	345		<ul style="list-style-type: none"> Contains Zinc Phosphate for corrosion protection of the steelwork Excellent adhesion to steelwork Can be overcoated with conventional oxidisable and chlorinated rubber systems Can be used where force drying is required (up to 70°C) Available in Pale grey, Red oxide and Buff.
OXIDE PRIMER	TDS	APPLICATION	BENEFITS
A quick drying, heavy duty primer which is available in red oxide and grey colours.	173		<ul style="list-style-type: none"> Contains Zinc Phosphate for corrosion protection of the steelwork High covering power Flash point above 32°C Can be used where force drying is required (up to 70°C).
ETCH PRIMER	TDS	APPLICATION	BENEFITS
This etch primer is designed specifically for adhesion to aluminium with an extremely smooth surface.	133		<ul style="list-style-type: none"> Provides extremely good protection on aluminium or zinc Hard Dry in 50 minutes.
RUST BONDING PRIMER	TDS	APPLICATION	BENEFITS
A water based "rust convertor" primer which is used on the most corroded steel work to bond rust back to steel.	325		<ul style="list-style-type: none"> Fast drying, no toxic water based low odour Unique bonding properties which allow application over tightly adherent rust and damp steel Wide continuous dry temperature resistance.



WATER BASED BLAST PRIMER	TDS	APPLICATION	BENEFITS
This water based primer is a low odour product and is for use on mechanically or blast cleaned steel. With rapid drying and re-coating time this is a very popular and reliable primer with excellent resistance to abrasion, impact, rust and water.	576		<ul style="list-style-type: none"> • Very good resistance to abrasion, impact, corrosion and water • Water based, low odour • Rapid drying • Rapid recoating • Rapid overcoating.
QUICK DRYING EGGSHELL FINISH PRIMER	TDS	APPLICATION	BENEFITS
A rapid drying, eggshell primer which is designed for the longer term protection of steelwork.	600		<ul style="list-style-type: none"> • Excellent adhesion to steelwork • Can be used where force drying is required (up to 70°C) • Available in Pale grey, Red oxide and Buff • Fast drying for rapid handling. • Wide continuous dry temperature resistance.
WATER BASED METAL PRIMER	TDS	APPLICATION	BENEFITS
Woco water based primer is an eggshell sheen metal primer free from zinc and heavy metal pigments for use on mechanically or blast cleaned steel as a shop primer.	621		<ul style="list-style-type: none"> • Fast drying for rapid handling • Fully weldable if applied at less than 25 microns DFT • Water based Non-toxic & low odour • Excellent adhesion • Eggshell sheen • Available in red oxide and grey.
EPOXY ZINC PHOSPHATE FAST CURE SHEEN PRIMER	TDS	APPLICATION	BENEFITS
A two-pack non toxic primer for application to blast cleaned steel or to steel which is clean and free from scale and/or rust. It is especially suitable where gloss hold-up of the top coat is required. It may be used as a blast primer, full coat and over other two pack primers.	590		<ul style="list-style-type: none"> • Non toxic Primer • Available in White, Red, Grey or Buff • Easy to apply
HIGH SOLIDS EPOXY PRIMER	TDS	APPLICATION	BENEFITS
A twin pack anti-corrosive primer used on blast cleaned steel or on steel which is clean and free from scale and rust. It is especially suitable where gloss hold up of the top coat is required.	608		<ul style="list-style-type: none"> • Iso-cyanate free better for the environment and applicator • Can be applied to clean non shot blasted steel • Formulated for use in low temperature curing ovens • Exceptional weather and chemical resistance • Low VOC content • Available in pale grey or beige.
POLYURETHANE UNDERCOAT	TDS	APPLICATION	BENEFITS
This product has exceptional chemical, solvent and weather resistant qualities.	453		<ul style="list-style-type: none"> • Exceptional weather, chemical and solvent resistance • Exceptional mechanical film properties • Easy to apply.
	452		
ACRYLATED RUBBER ZINC PHOSPHATE UNDERCOAT	TDS	APPLICATION	BENEFITS
This product has exceptional chemical, solvent and weather resistant qualities.	293		<ul style="list-style-type: none"> • Protective qualities • Easy to apply.
	294		
T-WASH MORDANT SOLUTION	TDS	APPLICATION	BENEFITS
A specially formulated acid based solution for the pre-treatment coating of new galvanised surfaces prior to application of standard paint system. This product ensures excellent paint adhesion to the surface.	116		<ul style="list-style-type: none"> • Blue solution, turning dark grey after application • Provides a good key for paint.



At Witham we specialise in floor paints and appreciate the importance of maintaining the smart appearance of your floors whatever they are made of. We provide highly reliable products for a wide variety of applications: from workshop floors to veterinary clinics, showrooms to dairies, race tracks to tennis courts and factory floors to parking bays.



Our Koverflor range of Floor paints and line marking paints are manufactured to aid cleaning, resist marking and stains and provide attractive long lasting finishes to hard worked areas. Available in a variety of popular colours our paints are easily applied giving a robust and hard

wearing finish. Whichever product you choose you can rest assured that you are investing in a quality product that will provide the long lasting results.





COLOUR RANGE



KOVERFLOR POLYURETHANE FLOOR PAINT - TYPE F	TDS	APPLICATION	BENEFITS
An outstanding polyurethane based, quick drying, single pack oil and petrol resisting paint. Ideal for use on clean, dry mature concrete, brickwork, quarry tiles, stone, wood and linoleum. It gives a tough abrasion resistance finish and reliable on surfaces that are subject to hard wear. Using this product can also prevent a cement floor from 'dusting up'. It is recommended for many uses but especially used in offices, corridors, workshops, show rooms and high pedestrian traffic areas.	462		<ul style="list-style-type: none"> Based on lead free pigments better for the environment and applicator Can be applied to concrete, brickwork, blasted steel and wood Formulated to give a highly durable finish Available in a range of colours.
KOVERFLOR EPOXY FLOOR PAINT - TYPE D	TDS	APPLICATION	BENEFITS
This ever popular product gives an outstanding hardness and abrasion resistant coating. Designed to be resistant to a wide range of chemicals, detergents, minerals, vegetable oils and the large majority of solvents. Can be used on newly laid and mature concrete, quarry tiles and paving stones.	461		<ul style="list-style-type: none"> Iso-cyanate free better for the environment and applicator Can be applied to concrete, brickwork, blasted steel and wood to give a highly durable finish Exceptional chemical resistance Available in white and a range of colours.
KOVERFLOR CHLORINATED RUBBER FLOOR PAINT - TYPE B	TDS	APPLICATION	BENEFITS
A rubber based floor paint for use on strongly alkaline surfaces, such as new concrete or where a high degree of chemical resistance is required. This product is ideal for use in chemical plants, water works, sewage installation, milking parlours, canteens, dairies and workshops, where resistance to chemicals, urine, acids, petrol and lubricating oils is important. An extremely robust paint, this is also ideal for agricultural uses, stables and kennels.	144		<ul style="list-style-type: none"> Extremely good chemical resistance Extremely high level of abrasion resistance Tolerant to aggressive cleaning methods



OTHER FLOOR PAINTS

EPOXY WATER BASED FLOOR PAINT B	TDS	APPLICATION	BENEFITS
A hard wearing, water based, solvent free two pack floor coating for use in areas of heavy traffic. I.e. fork lift trucks and vans. It contains no organic solvents and has only a low odour with no surface tackiness. This product can be applied to damp substrates and offers an extremely high level of abrasion resistance. It is also tolerant to aggressive cleaning methods and provides extremely good chemical resistance.	333	 	<ul style="list-style-type: none"> • Water based, low odour • Can be applied to damp substrates • Extremely high level of abrasion resistance • Tolerant to aggressive cleaning methods • Extremely good chemical resistance • Available in eggshell or semi-gloss.
CHLORINATED RUBBER BASED LINE MARKING PAINT	TDS	APPLICATION	BENEFITS
A heavy-duty chlorinated rubber preparation designed for application to concrete, wood and tarmacadam surfaces. It affords exceptional durability and offers high resistance to abrasion caused by road traffic. Excellent to mark out hazards, roadways, parking bays, etc.	141	 	<ul style="list-style-type: none"> • Excellent chemical and weather resistance • Excellent adhesion • Fast drying for rapid handling • Available in White, Yellow and Red.

WE'RE HERE TO HELP...



Need some extra clarification on which paint to use? If you require assistance, please email or call our Technical Department.

Call your nearest depot for friendly, expert help.



Lincoln
01522 521192



Soham
01353 723373






Lowestoft
01502 563434







BRILLITE FLOURESCENT PAINT	TDS	APPLICATION	BENEFITS
This high reflective "day glow" paint is designed specifically for safety rails, steel, primed wood, or aluminium substrates that require striking fluorescent colour for identification purposes.	491		<ul style="list-style-type: none"> • Can be used on both wood and metal surfaces • Available in Red, Yellow, Green, Orange and Blue • Not a single coat application (base, colour & lacquer required).
ANTI-THIEF & VANDAL PAINT	TDS	APPLICATION	BENEFITS
Woco Anti Vandal Paint is a unique material that provides a semi plastic coating on application to metal, concrete, brick, wood, felt etc. It acts as a deterrent to burglars and vandals endeavouring to make forced entry owing to its plastic nature as it is physically impossible for humans to grip surfaces coated with this product. A hidden indicator can help Police in investigation/identification techniques. Can be applied to unpainted and painted surfaces including metal & plastic sills, drain pipes, concrete bricks, woodwork and roofing materials.	186		<ul style="list-style-type: none"> • Provides a semi plastic coating • One coat application • Available in Red, Black, green and Grey • Can be applied up to 0.5mm thickness • Contains indicator to help Police in investigation/ identifications • Non grip surface • Easy to apply
VERY HIGH TEMPERATURE RESISTANCE ENAMEL PAINT	TDS	APPLICATION	BENEFITS
A high temperature resistant enamel gloss. To be applied directly onto surfaces requiring extreme protection against heat.	108		<ul style="list-style-type: none"> • Fast drying for rapid handling • Withstands temperatures between 180°C and 340°C • Available in gloss, semi-gloss, satin and matt finishes • Good resistance to petrol.
VERY HIGH TEMPERATURE RESISTANCE ALUMINIUM PAINT	TDS	APPLICATION	BENEFITS
A 550°C heat resistant ready mixed paint ideal for iron and steel surfaces which have to withstand extremely high temperatures. This ready mixed paint is based on silicone resin and is coloured with a metallic aluminium pigment which gives a bright metallic sheen for use on both inside and outside surfaces.	107		<ul style="list-style-type: none"> • Ready mixed • Suitable for application to iron and steel surfaces • Withstands temperatures up to 550°C.
MODEL PAINT	TDS	APPLICATION	BENEFITS
An oil based enamel designed for excellent adhesion onto injection moulded plastic. Available in military and historic colours for the modeller.	005		<ul style="list-style-type: none"> • Available in a full range of aircraft, marine and army shades • Available in gloss, satin or matt finishes • Flash point above 32°C • Woco model enamel can be applied over the majority of old paint finishes provided they are hard.












PLASTIC PRIMER	TDS	APPLICATION	BENEFITS
A quick drying primer based on an acrylic resin system. Suitable on a wide variety of substrates. Provides excellent key to top coats.	450		<ul style="list-style-type: none"> • Fast drying • Excellent adhesion to steelwork • Can be overcoated with conventional oxidisable oil-based coatings • Available in Grey, Black and White • Exceptional weather resistance.
HAMMER FINISH	TDS	APPLICATION	BENEFITS
An industrial finish coating, which gives a decorative hammered effect. For use on primed steel and aluminium surfaces this is available in a range of primary colours.	132		<ul style="list-style-type: none"> • Fast drying for rapid handling • Hard durable finish • Heat resistant to 150°C • Good resistance to oils, greases and petrol • Available in black, blue, silver, dark grey, green and light green.
ANTI-CONDENSATION PAINT	TDS	APPLICATION	BENEFITS
Designed for use where condensation can be a problem. Suitable for catering establishments, food processing plants, electrical switch rooms and general enclosed areas with limited ventilation.	149		<ul style="list-style-type: none"> • Dries to a matt finish • Contains a heat insulating filler • Easy to apply.

SWIMMING POOL PAINTS

SWIMMING POOL PAINT - TYPE A	TDS	APPLICATION	BENEFITS
A chlorinated rubber non-breathable paint. Formulated for use in concrete swimming pools with a built in waterproof membrane. It is designed to dry to a satin gloss finish. Designed specifically to be hand brush applied. This product is extremely durable & chemically resistant.	518		<ul style="list-style-type: none"> • Has an excellent degree of chemical resistance • Excellent adhesion to concrete • Can be overcoated with conventional oxidisable and chlorinated rubber systems • Suitable for underwater applications • Fast drying.
SWIMMING POOL PAINT - TYPE B	TDS	APPLICATION	BENEFITS
A chlorinated rubber breathable paint. Designed for use on swimming pools without a built in membrane. It dries quickly to a matt finish and is best applied by hand brush. It can be applied over previously painted surfaces where a known chlorinated rubber coating has been used. This product is extremely durable and chemically resistant.	519		<ul style="list-style-type: none"> • Has an excellent degree of chemical resistance • Excellent adhesion to concrete • Can be overcoated with conventional oxidisable and chlorinated rubber systems • Suitable for underwater applications • Fast drying • Microporous.
SWIMMING POOL PAINT - TYPE C - WATER BASED	TDS	APPLICATION	BENEFITS
A universal swimming pool paint. Suitable for use on concrete swimming pools with or without built in membranes. It can be brushed or rolled to produce a pleasing matt finish.	337		<ul style="list-style-type: none"> • Extremely high resistance to water once dry • Excellent adhesion to concrete • Extremely good flexibility • Water based, low odour • Fast drying • Rapid recoating.
SWIMMING POOL SEALER	TDS	APPLICATION	BENEFITS
Chlorinated rubber based sealer. Suitable for the initial priming of rendered pool walls.	544		<ul style="list-style-type: none"> • A pigmented product for the protection and sealing of concrete swimming pools • Easy to apply.



There is no limit to what colour you can choose and how you can decorate the inside or outside of your home or business these days. Paint is personal and yet can help create the right mood and setting for work, home or leisure environments. Keeping up appearances is important and a lick of good paint can help transform a house into a home or a shop or business into somewhere that customers will want to visit. That is why we think it is important to be able to offer a choice of decorative paint products from right across the market place, along with all the tools and equipment to help you create the look, quality finish and ambience you wish to achieve.

BRUSHSTROKES EMULSION	TDS	APPLICATION	BENEFITS
Woco Matt Emulsion is a high quality, multi-purpose contract emulsion formulated to provide a full-bodied, high opacity, matt finish for use on all interior walls and ceilings. White and Magnolia are standard and other colours are easily made to order.	409	  	<ul style="list-style-type: none"> • Multi-Purpose • Formulated to give a matt finish • Easy to apply.
EXTERIOR EGGSHELL MASONRY FINISH	TDS	APPLICATION	BENEFITS
A product designed to give a tough, durable coating on a wide range of surfaces, including cement render, concrete, brickwork, asbestos, fibre cement sheeting and plasters.	221	  	<ul style="list-style-type: none"> • A tough, durable coat • Allows the substrate to breathe • High degree of resistance to washing and alkali • Easy to apply.
EXTERIOR MASONRY FINISH	TDS	APPLICATION	BENEFITS
Woco Exterior Masonry Finish is a premium quality, pliolite solvent-based paint formulated for exterior use on cement rendering, rough cast, brick and concrete. It provides a smooth matt finish that has excellent adhesion to previously painted and suitably sealed surfaces. The pliolite resin provides a strong protection against severe weather conditions and erosion.	210	  	<ul style="list-style-type: none"> • Does not blister, flake, chalk, stain or discolour and is resistant to mildew • Non-oxidising and therefore remains flexible • Retains a fresh and pleasing flat finish as dirt is washed off by heavy rain • Expands and contracts with changing temperatures • Resists exposure to ultra-violet light.

FREE COLOUR MATCHING SERVICE



We also offer a free paint colour matching service which gives you the chance to create the exact colour you are looking for without extra cost. With technical support all the way our speedy delivery service will also make sure to don't have to wait long to get started.





Our Woco Barn Paint provides excellent protection and improved appearance to exterior buildings, barns, stables, sheds, silos, windmills, factory units, corrugated metal and all types of timber or metal cladding.

A STROKE OF GENIUS

Our Barn Paint is certainly proving to be popular. Flying off the shelves for farmers, house owners, decorators and builders to name a few, this paint offers outstanding protection. It is so easy to apply and yet instantly improves the appearance of virtually any outbuildings, barns, stables, sheds, silos, windmills, factory units, houses, extensions and all types of timber or metal cladding.

Highly recommended by Farming UK for its excellent coverage to fencing, gates, farm equipment, tanks, drainpipes, doors, windows and many other areas around farms and homes, customers are using this on anything from garden furniture to plant pots.



ENVIRONMENTALLY FRIENDLY

- ✓ Water Based
- ✓ Low Odour
- ✓ Non-Toxic
- ✓ Easy to Apply
- ✓ Safe for User

BENEFITS

- Water Based, with low odour and non toxic properties
- Product can be applied straight onto previous painted surfaces
- Made from an acrylic resin system our Barn Paint offers a tough durable micro-porous protective coating with excellent colour retention
- Flexible with the substrate, it reduces flaking and blistering providing a long lasting coverage
- Exhibits fast drying and low odour properties.



Available in Seven Popular Colours!





PAINTS & COATINGS

WOODCARE TREATMENTS



Providing the very best in professional wood care, our unique range of products is designed to enhance and protect the beautiful appearance of wood, for both internal and external use. The products we make for external use are typically used on windows, doors and conservatories, outbuildings, fencing, gates, stairs, decking doors and garden furniture and many other outdoor structures. We are proud to supply direct to manufacturers of these products or individual customers looking to enhance their business or personal property.

WATER BASED TOP COAT	TDS	APPLICATION	BENEFITS
Our outstanding top coat gives a high sheen and protective coating and provides excellent overall weather resistance. It can be used on both interior and exterior woodwork and is based on a unique high quality acrylic dispersion, which gives an unbeatable finish. This popular and reliable top coat is ideal for window frames and doors, conservatories, cladding and outbuildings.	602	 	<ul style="list-style-type: none"> • Good weather resistance • Ideal for interior & exterior use • Easy to apply
ALUMINIUM WOOD PRIMER	TDS	APPLICATION	BENEFITS
A quality primer based on an oleoresinous medium pigmented with aluminium flake. It is particularly suitable for priming naturally resinous woods or timber which has been treated with solvent based wood preservatives, but it is not suitable for use over tar oil type preservatives.	152	  	<ul style="list-style-type: none"> • Easy to apply • Available in silver grey.
WATER BASED UNIVERSAL PRESERVER	TDS	APPLICATION	BENEFITS
This is a Barretine Product that we highly recommend and is used as the first step in the preparation of wood restoration and decorating. A water based quick drying treatment for both wet rot, dry rot, wood boring insects. A very low odour formulation which is ideally suited for enclosed and external use prior to coating with paint, varnish or sealer. It is compatible with our Stain Blocking Primer and outstanding top coat listed above.	607	  	<ul style="list-style-type: none"> • Water based • No mixing (ready to use product) • Targets existing wood boring insects and rots • Prevents new rot and insect infestation • Virtually odourless and non flammable • 4 hour re-entry period following treatment, subject to physical barrier until surfaces are dry.
WATER BASED STAIN BLOCKING PRIMER	TDS	APPLICATION	BENEFITS
A highly effective, lead free, water based stain blocker which is designed for both interior and exterior woodwork. Easy to apply, this product is designed to tackle those difficult to coat woods such as oak and cedar. It dries rapidly to form a smooth film which helps towards a top quality finish. This product can also be used as a first class base coat for most decorative finishes.	598	  	<ul style="list-style-type: none"> • Lead free • Water based • Ideal for interior & exterior use • Quick drying • Easy to apply




CREOCOTE OIL BASED EXTERIOR WOOD TREATMENT


This product exhibits the characteristic odour familiar to traditional creosote users. This creosote substitute is ideally suited to rough woods on sheds, fences and barns and provides excellent surface water repelling properties and so restricts weather damage.

Creocote can be used on a variety of exterior woods, not only to protect and preserve but also to improve grain definition. Available in Dark "Nut Brown" shade, in either 4 or 20 Litres.

APPLICATION  

TRADITIONAL CREOSOTE

We supply Creosote to professional users in the agriculture and building industries for use as a wood treatment against wood rotting fungi and wood destroying insects on external timbers. The sale of Creosote is governed by environmental and health and safety legislation and can only be sold to trade account customers. Please contact your nearest depot to purchase. Available in: 25 & 205 Ltr barrels.

WOODCOTE EXTERIOR WOOD STAIN	TDS	APPLICATION	BENEFITS
This is an oil based, high solids, excellent exterior wood treatment. This wood stain comes in a choice of transparent or 19 different colours to help enhance woodwork of many types.	306		<ul style="list-style-type: none"> Enhances the texture of wood Excellent overall weather resistance Easy to apply.
TIMBERLAST COMPLETE WOOD PROTECTOR	TDS	APPLICATION	BENEFITS
Timberlast wood protector is an economical solvent based ready to use wood treatment. It protects, colours and penetrates the timber and uses biocide preservatives to prevent the decay and surface growth of moulds. It's perfect to decorate and protect sheds, fences, trellis, decking and any timber structures where a translucent colour and water repellent finish is required, whilst leaving the wood grain visible. It is harmless to plants when dry and uses UV resistant pigments.	617	 	<ul style="list-style-type: none"> Contains waxes for water repellency Attractive range of translucent shades Light Brown, Dark Brown, Clear, Red Cedar, Forest Green Flash point above 32°C Prevents surface mould growth.



PAINTS & COATINGS

EQUESTRIAN PAINT RANGE



Designed to enhance the longevity, appearance and protection of all interior and exterior finishes for the horse racing, livery and equine industry. We understand that the breeding, training and general welfare of horses and other animals is of paramount importance and so our range of products caters for all budgets and all requirements.

TOP COATS AND DECORATIVE FINISHES

For use on:

- Stable Blocks
- Gates, Fencing and Railings
- Posts and Signage
- Jumps, Menages, Carriages
- Tack Rooms & Outbuildings
- Hay Racks and Ironmongery
- Houses and Offices.

SEE
PAGE
6



MASONRY PAINTS

Our Exterior Masonry Paints are premium quality, formulated for exterior use on brick and block work, cement rendering, rough cast and concrete. They provide excellent adhesion to previously painted sealed surfaces and protection against severe weather conditions and erosion.

SEE
PAGE
14





FLOOR PAINTS

Chlorinated Rubber Paint, ideal for stables, which is highly robust and resistant to urine, acids, and other chemicals. Allows easy cleaning whilst maintaining a high level finish. Also ideal for workshop floors, catteries and kennels.

SEE
PAGE
10



WOODCARE TREATMENTS

Designed to enhance and protect the natural appearance of wood. Our specialist preservatives, woodstains and top coat treatments ensure colour and chemical protection sit hand in hand whilst preventing rot and mould.

SEE
PAGE
16



AVAILABLE SIZES

- 1 Litre
- 2.5 Litres
- 5 Litres
- 20 Litres

witham
WOCO
THE QUALITY PAINT
witham
TRADE
PAINT



By using our boat paint solutions, including anti-fouling, boat primers, yacht varnish and more, we can not only help protect your boat, but also the environment. Whether it's your weekend pride and joy or industrial fishing and cargo ships, we have tried and tested reliable products for every application. Top coats and glosses are designed to provide an enhanced cosmetic finish to the boat and provide a protective barrier against the elements that will attack the surface of the vessel.

UNIVERSAL ANTI-FOULING	TDS	APPLICATION	BENEFITS
Our Universal Anti fouling paint is based on a modified composition containing a high level of copper thiocyanate which provides good anti-fouling properties. Suitable for domestic and commercial vessels with aluminium, steel, wood or GRP hulls. This product can be used on vessels that will be immersed in salt or freshwater	612		<ul style="list-style-type: none"> • Contains a high level of copper thiocyanate • Holds H.S.E Approval No 9937 • Available in White, Black, Blue and Red • Fast immersion times • Maximum immersion time 3 months if shrouded from direct sunlight • Can be used on Aluminium hulled vessels.
TRADITIONAL ANTI-FOULING	TDS	APPLICATION	BENEFITS
Designed for vessels with a maximum speed of 25-30 knots this economical protection is suitable for domestic and commercial vessels with steel, wood or GRP hulls and for use in either salt or freshwater. It contains a high level of copper oxide to achieve good anti-fouling properties. It is recommended that our Metallic Barrier primer is used underneath this product.	216		<ul style="list-style-type: none"> • Contains a high level of copper oxide • Holds H.S.E Approval No 9938 • Available in Red, Black, Green, Blue and Light Grey • Fast immersion times • Maximum immersion time 3 months if shrouded from direct sunlight.
NON-SLIP DECK PAINT	TDS	APPLICATION	BENEFITS
A material designed for use on steel or wooden decks over an appropriate hard drying primer. It exhibits a tough hard film with a non-slip surface and shows a high degree of resistance to wear. This heavy duty paint gives outstanding hardness and abrasion resistance and is designed for use where heavy traffic, chemicals, detergents and many other solvents are used.	226		<ul style="list-style-type: none"> • Lead free pigmentation • High degree of opacity • Flash point above 32°C • Non-yellowing.
YACHT VARNISH	TDS	APPLICATION	BENEFITS
A flexible clear wood varnish with UV filtration properties. Heritage approved this varnish is suitable for a whole range of wooden marine applications. A rapid drying colourless varnish which dries to a tough durable film with outstanding gloss retention.	235		<ul style="list-style-type: none"> • Resistant to sun, fresh and sea water, petrol and lubricating oils • Can be used on bare wood or for re-varnishing.



UNDERWATER BARRIER PRIMER	TDS	APPLICATION	BENEFITS
Metallic Barrier Primer is based on a modified Chlorinated rubber binder for use on wood and steel. It is suitable as an underwater primer over prepared steel and a barrier coat under Anti fouling systems.	610		<ul style="list-style-type: none"> Contains Aluminium pigment for excellent barrier properties Excellent adhesion to steelwork Can be overcoated with conventional oxidisable and chlorinated rubber systems Suitable for underwater applications Fast drying for rapid handling.
POLYURETHANE UNDERCOAT	TDS	APPLICATION	BENEFITS
A two-pack polyurethane undercoat based on a high quality resin system. Is ideal where a high degree of protection is required in environments such as marine applications.	453		<ul style="list-style-type: none"> Exceptional chemical and solvent resistance Exceptional weather resistance Exceptional mechanical film properties Mixing ratio of 3/1 by volume Available in White and a limited range of colours.
POLYURETHANE ENAMEL	TDS	APPLICATION	BENEFITS
A twin pack premium quality, high gloss coating. This product is extremely tough and durable and has excellent gloss retention properties and is ideal for use on all marine vessels.	451		<ul style="list-style-type: none"> Exceptional chemical and solvent resistance Exceptional weather resistance Exceptional mechanical film properties Exceptional weather and chemical resistance Available in White and range of BS and RAL shades.
MARINE UNDERCOAT	TDS	APPLICATION	BENEFITS
An alkyd based undercoat for use on primed or properly prepared, previously painted surfaces under Woco Marine Gloss Paint TDS 230. It dries to a matt finish a range of colours to suit the gloss range. Designed for use on primed surfaces of metal, aluminium or wood, this is the ideal undercoat for Marine Gloss topcoat.	229		<ul style="list-style-type: none"> Lead free pigmentation High degree of opacity Flash point above 32°C Non-yellowing.
MARINE GLOSS	TDS	APPLICATION	BENEFITS
A high gloss finish for application to superstructures, topsides, masts and deck fittings. Non yellowing and highly resistant to sunlight and salt spray this paint can also be used for the interior of the craft.	230		<ul style="list-style-type: none"> Lead free pigmentation High gloss finish 85% minimum at 20° reflectance Flash point above 32°C Non-yellowing Available in Eggshell, satin and semi-gloss finishes Available in a full range of BS4800, BS381C & RAL shades.
VINYL TAR	TDS	APPLICATION	BENEFITS
A highly acidic and alkali resistant paint which in combination with coal tar pitch gives an extremely high build film, which will provide long term protection to steel and concrete.	406		<ul style="list-style-type: none"> Flexible Suitable for immersion conditions Can be applied to a wide range of substrates Fast surface dry Provides a good waterproof barrier.
BILGE PAINT	TDS	APPLICATION	BENEFITS
This is a super chemical resistant alkyd gloss paint for use on both commercial and pleasure craft vessels. It can also be used for lockers and bulk heads. Standard colour grey green.	378		<ul style="list-style-type: none"> High gloss Dries to a hard adherent film.



Decorating Tools & Supplies

ProDec
Tools For Professionals

HAMILTON

Purdy
PROFESSIONAL PAINTING TOOLS

We offer everything you need to decorate your home, business or equipment to a professional standard. To compliment your paint finishes, we also provide all the essentials to help you start and finish your project, whether you're decorating walls, buildings, machinery or a true professional wanting to use reliable, quality preparation and application equipment.

From painter's tape to trays, protective cloths, wire brushes, sandpaper, and paint brushes, you can find it all in one place. Just contact your local depot and we can give you all the advice you need at great prices.

PAINT BRUSHES & ROLLERS

From top quality brushes for decorating experts to everyday use or even disposable sets, our wide range of paint brushes are available from a variety of suppliers in a whole range of shapes and sizes and to suit every budget.

Top quality paint brush suppliers include Hamilton & Purdy brushes.

Our rollers are made of a variety of materials relevant to a wide range of applications, all designed with speed and coverage in mind.

- Roller Brushes
- Roller Trays
- Roller Frames

PREPARATION & CLEANING

- ☒ Wire Brushes
- ☒ Shave Hooks
- ☒ Stanley Knives
- ☒ Filling and Stripping Knives
- ☒ Sandpaper and Wire Wool
- ☒ Interior and Exterior Fillers
- ☒ Masking Tapes
- ☒ Paint Stripper
- ☒ Hand Sanders
- ☒ Hand Cleaning Products
- ☒ Protective Masks and Clothing

PAINT THINNERS

	TDS
White Spirit Based Thinners	TH1
Xylene Based Thinners	TH2
2 Pack Epoxy Thinners	TH4
2 Pack Polyurethane Thinners	TH6
Single & Twin Pack Etch Thinners	TH12
Supercote Thinners	TH25
Slow Drying Thinners	TH30
Isocyanate Free Thinners	TH44
Metal Degreaser / Thinners	TH52
Gunwash Thinners	





⚠ PREPARATION IS KEY

Preparation is key and it can be your reputation that's at stake if you do not take the time and care to prepare properly. If you don't use the right tools or the right quality product, don't clean the surface that you want to paint sufficiently, you won't get the best finish.

The actual preparation required varies according to the surface to be painted, its age, type and condition but note that **preparation is the key** to a successful outcome of any decorating project and it may well take longer than the painting of the area itself.

⚠ BEFORE YOU START

- Ensure you have selected the correct paint or coating for your chosen project. Make sure you understand how the paint system needs to work (twin pack paints etc).
- Always read the Technical Data Sheets and Health & Safety Sheets before using any product.
- Work out the area to be covered and the number of coats to be applied.
- Ensure you wear recommended protective clothing, spray mask and goggles. Ensure there is plenty of ventilation adequate for the application.
- On metal work ensure you choose the right abrasive when shot blasting is not an option.
- All surfaces, whatever the type need to be free from dirt, grease and other surface contamination. Always use the correct degreaser or panel wipe.
- Ensure all surfaces are properly prepared before painting, free of dirt, dust, wax, polish or grease.
- Stir paint cans thoroughly and shake spray cans vigorously for about one minute after the ball is heard.
- Check the room temperature for spraying is not below 50°F (10°C).
- Apply thin coats, if paints sags or runs you are too close or applying the paint too heavily.
- Ensure the appropriate drying time is allowed before applying subsequent coats or using the application.

⚠ CLEANING & DISPOSAL OF PAINT

Once you've finished painting, it's now time to give your brushes and rollers a proper clean. First, scrape off as much paint as you can.

If you've been using water-based paint, simply soak your brush or roller in warm water for about 2 hours. Dry with a clean cloth and store in a dry place for future use.

Using solvent-based paints? Pour a small amount of solvent-based cleaner (this can be found at your local hardware store) into a small jar or container and work the brush against the sides to get the cleaner into the base of the bristles. Soak for about 2 hours, dry with a clean cloth and store in a dry place for future use.

Remember - Clean up responsibly!

Storing leftover paint is easy as long as you keep the tins away from direct sunlight and in a frost-free environment. Keep the lid firmly on the can to ensure a good seal.

You shouldn't pour solvents down the sink, after you've finished cleaning your brushes, place a lid on your jar or container and leave for 24 hours. Once the paint has sunk to the bottom, you can tip the remaining solvent cleaner into the bottle for future use. Leave the paint to fully dry in the jar before disposing in the bin. Try to use as small a jar or container as possible to keep the solvent use to a minimum.

Do not pour leftover paint or varnish into drains or water courses and dispose of the paint tin responsibly.



Commercial Users

For larger amounts ask your local authority for guidance. Some local authorities have separate facilities for coatings and recycling of empty or dried out cans as many do not want coating waste in the dustbin. They should be able to direct you to a special facility for disposing of paint without harming the environment.

Remember that when disposed of as waste, paints and varnishes can create problems for landfill sites and due to their messy nature, they can contaminate recycling schemes.



We're Here to Help

Call us for specialist, friendly expertise on:
01502 563434





PAINTS & COATINGS

WORKSHOP & CLEANING PRODUCTS



ESSENTIAL PRODUCTS FOR EVERYDAY USE

From Hand Cleaners to Screenwash, Cleaning Rags to Rust Prevention, we sell lots of handy products to help you do your job more easily. As well as the products listed below we can also provide jugs, funnels, spillage kits and much, much, more! So if you need anything else and you can't find it here just contact us and we will be glad to help.

CLEANING SOLUTIONS



QUALKLEEN HEAVY DUTY HAND CLEANER

NEW PRODUCT

QualKleen heavy-duty hand cleaner contains natural orange oil, pumice and esters. Designed to remove the most ingrained oils, greases, paints, inks, tar, general dirt and grime. The pumice and esters give superior performance, coupled with moisturisers and an orange fragrance to leave the hands feeling fresh and clean. Ideal for workshops, farms and garages.

Award Winning Formula

PACK SIZES - 1, 4 & 5 LITRES

QUALCARE HAND CLEANER

QualCare is a high quality, white pearlescent hand soap with added conditioners, pleasantly perfumed and kind to hands. Ideal for washrooms, work and home.

Moisturising Hand Cleaner

PACK SIZES - 1, 4 & 5 LITRES



SKIN CLEANSING WIPES

WORKSHOP ESSENTIAL

Rapidly cleans dirt and grease off hands. Trade strength – for workshop or domestic use. 200 wipes in one handy tub dispenser.



PACK SIZES - 200 WIPES PER DISPENSER

ALL SEASONS SCREENWASH

An excellent all season concentrated screenwash. Removes traffic film, dirt and insect residue. Helps prevent freezing during the winter months.



PACK SIZES - 5 LITRES



1LTR DISPENSER



4LTR DISPENSER



5LTR DISPENSER

QUALKLEEN & QUALCARE DISPENSERS & 5LTR PUMP DISPENSER

Keep your washrooms clean and tidy with our wall mounted 1 & 4 Ltr vertical soap dispensers, easy to install and features a hygienic push button operation. Easily mounted on the wall by means of screws with corresponding wall plugs. Our 5 Ltr soap dispenser pump, simply replaces the existing lid from the 5Ltr QualKleen & QualCare hand cleaner containers.



GENERAL PURPOSE TFR

Our General Purpose Traffic Film Remover (TFR) is used in power wash sprayers and high pressure cleaning equipment. This special detergent is diluted to remove stubborn dirt, traffic film and road coatings from all vehicles. A great all round product for home and business use.

PACK SIZES - 25 LITRES



GOLD TFR



Our Gold top quality Traffic Film Remover (TFR) not only cleans off dirt, grease and road grime easily but also leaves vehicles with a high gloss shiny finish. Suitable for use on all vehicles, and types of paint, this is our best-selling vehicle cleaner.

PACK SIZES - 25 LITRES

SOLVENT DEGREASER FLUID

Our degreaser is a solvent based cleaning fluid that is used neat to rapidly dissolve oil, grease and other deposits which bind dirt particles to the surface of the component.



PACK SIZES - 1, 5 & 25 LITRES



ABSORBENT GRANULES

Multi-purpose soft clay absorbent granules which is ideal for all types of liquid spillages including oil. This is a vital workshop and garage staple and available in 20Ltr bags.

PACK SIZES - 20 LITRES

PALE PINE DISINFECTANT

Our Pale Pine Disinfectant provides a safe, powerful and economical bacteria free cleaning action which has been designed to kill germs, overcome offensive odours and control and remove dirt from a wide variety of surfaces.

PACK SIZES - 1, 5 & 25 LITRES



CITRUSOL FAST ACTING CLEANER

A concentrated fast acting citrus-based cleaner and degreaser that offers maximum cleaning power. Citrusol removes dirt and grime quickly and safely leaving a fragrant fresh, aroma. Ideal to clean diesel oil, food oil, fats, grease, tobacco film, mineral oils, rubber, traffic film, and engineering oil from stainless steel, machinery, equipment, vehicles, work surfaces, vinyl, paint, ceramic, plastic, anti-slip surfaces and concrete.

PACK SIZES - 5 & 25 LITRES



CLEANING RAGS

These high quality cotton rags are excellent for general workshop and industrial use. They come in 2 handy 10kg bags in a mix of colours and are extremely absorbent and robust.



PACK SIZES - 20KG

HIGH ACTIVE DETERGENT

This soap based water soluble detergent is suitable for many applications including vehicle washing and valeting.

PACK SIZES - 5 & 25 LITRES



PAPER ROLL WIPES

Paper Roll Wipes are a commercial size product incorporating 850 sheets and 2 ply construction. They resist tearing and provide a clean disposable solution to rags. A must have in your workshop!



PACK SIZES - TWIN PACK





RUST PREVENTION & LUBRICATION

RUSTAREST

Qualube Rustarest is a solvent water displacing corrosion inhibitor. It provides a light, greasy film which provides long term protection to all metals and surfaces and is particularly useful to cover outdoor storage areas, protecting against rust with its excellent water repelling properties.



PACK SIZES - 1, 5 & 25 LITRES

WATER DISPLACEMENT FLUID

This product is designed to remove and displace water on surfaces and then provide protection from moisture and corrosion thereafter. Its greasy film has non-staining properties and protects against salt damage and rust on many components.

PACK SIZES - 1, 5 & 25 LITRES



CHAIN OIL

This is a great addition to your business, workshop or home. Designed to get your chain and machinery working well as quickly as possible. With excellent penetration and lubrication properties this product can be used on chainsaws, cycle chains, chain drives, pulleys, rollers, conveyors, forklifts, bearings, hoists and hinges.



PACK SIZES - 1, 5 & 25 LITRES

MULTI-EASE AEROSOL

A multi-purpose clear lubricant in aerosol cans which is great to keep in your garage or workshop for all round use. It helps drive out moisture, protects against corrosion, loosens rusted metal parts, dissolves dirt and grime and lubricates working parts.

PACK SIZES - 500ML



BEST SELLER

OPEN GEAR WIRE ROPE LUBRICANT

Formulated for all exposed gears, steel cables and heavy duty chains. This spray reaches the very core of wire ropes and helps to displace water resulting in excellent rust protection.



PACK SIZES - 500ML

PROLAN MEDIUM AND HEAVY GRADE AEROSOLS

- Multi-purpose general workshop lubricant for rust protection
- Resists acids and alkalis
- Frees up frozen components, padlocks, hinges, fasteners, door handles and tools
- Internal motor component preservation – safe inside boat motors
- Lubricant for drilling, cutting, machining and pressing
- Electrical wiring and connections, non-conductive up to 70KV, won't break down rubber or wiring
- Environmentally friendly and biodegradable
- Internationally certified by NSF for worldwide certification in food processing industries.



PACK SIZES - MEDIUM 250ML & HEAVY 500ML

GRAPHITE PENETRATING OIL

Graphite Penetrating Oil has been specifically designed for the most challenging of restorations. Incorporating high levels of graphite this fluid will give the best chance of releasing corroded components without damaging them.



PACK SIZES - 500ML



OTHER USEFUL ITEMS

CONCRETE MOULD OIL

A water-in oil, oil phased emulsion (commonly known as Soap Oil). White in colour, of creamy consistency and exceptional stability brush apply only.



PACK SIZES - 5 & 25 LITRES

SOLUBLE CUTTING OIL

A new generation of cost effective biostable water-mix metalworking fluids. It has been specially designed to incorporate the latest advances in additive technology. This product has been developed to provide moderate levels of boundary lubrication whilst being free of chlorinated extreme pressure compounds and forms a micro-emulsion when diluted with water.

PACK SIZES - 1, 5 & 25 LITRES



PROLAN ANTI-SEIZE GREASE

An incredibly long lasting grease that saves time and money on multiple re-application. Proven to last up to 30 years.

- Protects metal, rubber and battery terminals from corrosion caused by water, moisture, acid and salt.
- Extremely good anti-seize prevention for stainless steel threads.
- Lifts rust scale, cleans metal and frees up seized parts.
- Can be used in and around electrical connections to prevent moisture penetration and corrosion
- Environmentally friendly and biodegradable
- Internationally certified by NSF for worldwide certification in food processing industries



Available in 100ml, 500ml & 4 litres.

TRANSFORMER OIL

Qualube Transformer Oil is an electrical insulating oil designed to meet the challenges presented by the latest power transformers. It offers an extended oil life with the peace of mind of zero sulphur content. Manufactured to have an excellent response to anti-oxidant and are free from PCBs, DSDS & passivators.

PACK SIZES - 1, 5 & 25 LITRES



SULPHURISED CUTTING OIL

Formulated using high film strength additives to give better hydrodynamic performance than its viscosity would suggest. Containing chemically active components which provide good tool life and low oil consumption. Designed particularly for use in operations of medium to hard severity, providing excellent performance under the load, high temperature environment of wall ironing allowing the production of components with wall thickness as low as 0.2mm whilst maintaining dimensional accuracy and preventing pick-up.

PACK SIZES - 1, 5 & 25 LITRES




We're Here to Help!

Call your local depot for more information...

Lincoln 01522 521192

Soham 01353 723373

Lowestoft 01502 563434





witham

GROUP

British Manufacturer of Quality Lubricants & Paints Since 1921



AGRICULTURAL



**COMMERCIAL
VEHICLES**



**AUTOMOTIVE
& PASSENGER CAR**



PLANT & OFF ROAD



CLASSIC & VINTAGE



MARINE



HORTICULTURE



**ENVIRONMENTALLY
SENSITIVE**



**INDUSTRIAL PAINTS
& COATINGS**



**ANTI-FREEZE
& COOLANTS**



**WORKSHOP
& CLEANING**



**MOTORSPORT
& MOTUL**

Qualube
THE QUALITY LUBRICANT

MOTUL

**OFFICIAL
UK DISTRIBUTOR
AUTOMOTIVE
LUBRICANTS**

Woco
THE QUALITY PAINT

WITHAM OIL & PAINT (SOHAM) LTD
28 Regal Drive Soham
Cambs CB7 5BE
☎ 01353 723373

**HEAD OFFICE
WITHAM OIL & PAINT LTD**
Outer Circle Road
Lincoln LN2 4HL
☎ 01522 521192

WITHAM OIL & PAINT (LOWESTOFT) LTD
5-6 Newcombe Road Lowestoft
Suffolk NR32 1XA
☎ 01502 563434

www.withamgroup.co.uk