



By Appointment to  
Her Majesty the Queen  
Lubricant Blenders & Paint Suppliers  
Witham Oil & Paint Ltd, Lincoln

witham  
GROUP

# AUTOMOTIVE & PASSENGER CAR

## PRODUCT RANGE



British Manufacturer of Quality Lubricants & Paints since 1921

[www.withamgroup.co.uk](http://www.withamgroup.co.uk)





# PASSENGER CAR LUBRICANTS

ONLINE | IN STORE | NEXT DAY DELIVERY



## SPECIALIST EXPERTISE

Trading since 1921, The Witham Group is now one of the UK's leading manufacturers of a whole range of commercial and industrial lubricants and paints. Today we are proud to be preferred suppliers of award-winning oils, greases and other essential products to a huge array of businesses across the UK and abroad. We offer a wide range of quality lubricants, greases and paints as well as useful workshop, rust prevention and cleaning solutions. Our technical expertise and commitment to outstanding customer service means we can help you find the right oil for the right application.

### ENGINE LUBRICANTS

Page 6



### GEAR OILS

Page 8



### AUTOMATIC TRANSMISSION FLUIDS

Page 10



### BRAKE FLUIDS

Page 11



### GREASE RANGE

Page 12



## QUALITY PASSENGER CAR PRODUCTS

Whatever age, or type of vehicles, we have the knowhow to ensure that they all keep running smoothly and to maximum performance levels whatever the driving conditions. Using only the highest quality raw materials, we meet both the latest original equipment manufacturer (OEM) requirements and worldwide industry specifications for oil standards. Passionate about using the right oil for the right vehicle, our products are of the highest reputation and can genuinely help avoid breakdowns, reduce CO2 emissions, improve fuel economy and prevent wear and tear.



### PROLAN PROTECTIVE LUBRICANTS

Page 14



### ANTI-FREEZE & COOLANTS

Page 15



### WORKSHOP & CLEANING

Page 16



### PAINTS & COATINGS

Page 20





# WHY WITHAM?

ONLINE | IN STORE | NEXT DAY DELIVERY



## CREDIBILITY

When choosing the right oil for your vehicle or machinery it is vital that you consider if your provider has approvals from the Original Equipment Manufacturer to ensure that warranty conditions are not jeopardised and servicing costs are kept to a minimum.

Witham Group is passionate about putting the right quality oil in the right application to the correct industry standards. We are endorsed by our membership of the UKLA (United Kingdom Lubricant Association), and signatories to the ATIEL European Letter of Conformance.

We are also members of the VLS (Verification of Lubrication Specification) which provide a credible and trusted independent means to verify lubricant companies. By being a part of these initiatives we strive to bring transparency to the lubricant marketplace and protect and educate the customer with a credible and reliable reputation.

We are proud to be accredited with the British Standard EN ISO 9001. This ensures our entire manufacturing and distribution processes meet the highest standard and provides assurance that the way we do business is recognised as good practice.



## ROYAL WARRANT

A Royal Warrant has always been regarded as demonstrating a very high standard in personal service, quality, excellence and innovation. Companies can only reach that status through careful and efficient management. There are around only 850 Royal Warrant Holders in the world representing companies from a huge cross section of trade and industry.

Witham Oil and Paint Ltd are extremely proud to have been awarded the Royal Warrant for the goods and services we supply to HM The Queen. The Royal Warrant helps underline our company's commitment to maintaining and building its reputation as producers of the finest quality lubricants and paints.

As members of the Royal Warrant Holders Association, we are united and committed to the highest standards of service and business excellence.



## TECHNICAL HELP

As expert manufacturers of thousands of lubricant products, we are proud to have our own technical team of experts and laboratory based at the Lincoln Head Office. We also have a range of experts out in the field. Using the latest technologies, products are rigorously tested to ensure the highest quality results.

New products are researched and developed to ensure that all our lubricants are made to the latest specifications and requirements. Driving further efficiencies in fuel economy, our technical teams work hard in their laboratories to ensure the latest technologies maximise results whatever the application.

Wherever possible, low impact raw materials are used to minimise the effect on our environment and on the end user. Our technical team is available by telephone or email to answer any lubricant or paint queries on any application, five days a week.



## UNIQUE SERVICE

The Witham Group is so proud of its heritage and the emphasis it places on the service to all of our customers, whether old or new, big or small. Having been trading since 1921 we know the importance of having firm standards of operations in place as the cornerstones of a good business and supporting those that work for us and those in our communities.

Our independence gives us the refreshingly personal and long term approach to customers and our service and flexibility on deliveries and order times are second to none.

There are a number of ways you can purchase our quality lubricants & paints. Either from our online shop, at one of our 3 depots, or call us to place an order or apply for a trade account.



In Store



By Phone



Online Shop

## ENVIRONMENT

We make a vast quantity of oils and greases and in an industry where traditionally additives, chemicals and fossil based products are essential to the manufacturing process, we are now totally committed to ensuring that wherever possible the environment is at the heart of our activities.

We work hard to create a "greener" culture. From harvesting rainwater from our factory roofs to installing solar panels, from improved waste disposal procedures to installing low energy lighting - we are overall finding many ways to reduce our carbon footprint.

We offer bulk deliveries of lubricants and install free storage tanks to save on oil drum packaging, workshop spillages for customers and have also developed a range of biodegradable and environmentally safer lubricants. We are proud to be working with the environment finding new innovative ways to show the lubricant and oil industry can operate with corporate care and social responsibility, not only for our staff and their families but for the wider community, customers and businesses throughout the UK.



## COMMUNITY SUPPORT

For many years now The Witham Group has supported a variety of local causes and charities. We are delighted to have raised over £80,000 for many national and local causes close to the hearts of our staff and their families. From lawnmower races to speedboats championships, Scout Groups, to classic car clubs, we have held visits, sponsored customers and colleagues and donated our oil or paint products to help put something back into our community.

We also attend the Suffolk, Lincolnshire and Royal Norfolk shows each year, along with the many national and local Agricultural Trade shows, such as LAMMA and MMS, where we ensure existing and prospective customers get the chance to find out what we do and how we can help them.

## MOTORSPORT & MOTUL

We are immensely proud to be UK importer and distributor of the world renowned Motul Automotive Products. We love all things racing and our reputation across the line is very enviable. From power boat racing to Goodwood revival, British Touring cars to track days, we have the product range and experience to know that the best oil certainly makes all the difference.

Supporting and sponsoring drivers, race teams and distributors with our Qualube, Classic or Motul range of products, means we have the right oil for the right machine, whether vintage vehicles or the very latest in racing engine technology.





Using only the latest technology, our impressive range of automotive engine oils are designed to enhance the performance and longevity of vehicle engines day in day out. All our lubricants ensure that OEM warranty conditions are not jeopardised and servicing costs are kept to a minimum. Tried and tested, our reputable products can genuinely help avoid breakdowns, reduce CO2 emissions, improve fuel economy and prevents wear and tear.

QUALSYN PCMO FS	VISCOSITIES	SPECIFICATIONS
Qualsyn PCMO FS lubricants can be used in a wide variety of passenger cars and light commercial vehicles. This formulation has a proven track record within these sectors and has given many years of trouble free performance across a wide variety of driving conditions.	5W/30	ACEA A3/B4, MB 229.3, VW 50200/50500.
	5W/40	ACEA A3/B4, MB 229.3, VW 50200/50500, API SN, API CF, Renault 0700/0710.

QUALSYN MS FS C2 / C3 / C4	VISCOSITY	SPECIFICATIONS
Qualsyn MS FS C range can be used in a wide variety of passenger cars and light commercial vehicles. The formulation has a proven track record within these sectors and has given many years of trouble free performance across a wide variety of driving conditions.	C2 0W/30	JAGUAR LANDROVER STJLR.03.5007, FORD WSS-950-A, ACEA C2.
	C3 5W/30	ACEA C2/C3, Dexos 2, MB 229.51, BMW LL 04, API SN, MB 229.31, Renault RN0700, Renault RN0710.
	C4 5W/30	ACEA C4, MB 226.51, Renault RN0720.

QUALSYN MS FS VAG	VISCOSITY	SPECIFICATIONS
Qualsyn MS FS VAG is a fully synthetic high quality engine oil specifically designed for use in the latest Volkswagen/Audi group vehicles. Blended to an approved formulation using high quality synthetic base oils fortified with a fully tested additive package.	5W/30	Volkswagen VW504, Volkswagen VW507, ACEA C3, Porsche C30, MB-Approval 229.51, BMW Longlife-04, API SN.

QUALSYN MS FS FSF	VISCOSITY	SPECIFICATIONS
Qualsyn MS FS FSF is a fully synthetic high quality engine oil specifically designed for use in many Ford passenger cars and light commercial vehicles.	5W/30	Ford WSS-M2C913D, ACEA A5/B5, Jaguar Landrover STJLR.03.5003, Renault RN0700, API SL. (Ford WSS-M2C913D is backward compatible to M2C913A, B & C).



QUALSYN MS FS ATD	VISCOSITY	SPECIFICATIONS
Qualsyn MS FS ATD can be used in a wide variety of passenger cars and light commercial vehicles. This formulation has a proven track record within these sectors and has given many years of trouble free performance across a wide variety of driving conditions.	5W/30	Jaguar Landrover STJLR.03.5005, ACEA C.
QUALSYN MS FS ECO	VISCOSITY	SPECIFICATIONS
Qualsyn MS FS 5W/20 ECO is a fully synthetic high quality engine oil, it incorporates additive technology to ensure the highest levels of performance and protection of all engine components.	5W/20	Jaguar Landrover STJLR.03.5004, FORD WSS-948-B, ACEA C5, API SN.
QUALSYN PCMO SS	VISCOSITY	SPECIFICATIONS
Qualsyn PCMO SS is semi-synthetic engine oil blended from high quality mineral and synthetic base stocks. Qualsyn PCMO SS is a tried and tested formulation with a proven track record and gives a more economical solution to many mixed fleets where a more modern full synthetic product is not required.	10W/40	API SL/CF, MB 229.1, VW50500.

### FIND THE RIGHT OIL...

Try our specialist online Lubricant Finder to find recommended lubricants for your vehicle. Using the right oil:



- ✓ IMPROVES FUEL ECONOMY
- ✓ SAVES BREAKDOWNS ON THE ROAD
- ✓ HELPS YOUR ENGINE LAST LONGER
- ✓ PREVENTS WEAR AND TEAR
- ✓ REDUCES CO2 EMISSIONS







Manual or automatic vehicles need to cope with huge variety of driving and extreme condition pressures. Made to protect and prolong relevant components, our extensive Qualube range of advanced gear oils maximise performance and keep breakdowns to a minimum.

TDL / SYNTOGEAR	VISCOSITIES	SPECIFICATIONS
This TDL (total drive line) product covers many manufacturers specifications and can be used in both transmission and differential applications. This product allows greater rationalisation and can often replace multiple dedicated gear and differential lubricants.	75W/90	API GL-4, API GL-5, Eaton Europe (300,000km or 3 years), API MT-1, MAN 341 Type E-3, MAN 341 Type Z-2, MAN 341 Type M-3, Mack GO-JMIL-PRF-2105E, Scania STO 1:0, SAE J2360, MB 235.8, Arvin Meritor 0-76-N, ZF TE-ML 08, ZF TE-ML 02B, ZF TE-ML 05B, ZF TE-ML 07A, ZF TE-ML 12B, ZF TE-ML 16F, ZF TE-ML 17B, ZF TE-ML 19C, ZF TE-ML 21B.
	80W/90	API GL-4, API GL-5, API MT-1, MAN 341 Type Z-2, MAN 342 Type M2, MB 235.0, ZF TE-ML 02B, ZF TE-ML 05A, ZF TE-ML 12L, ZF TE-ML 12M, ZF TE-ML 16B, ZF TE-ML 16C, ZF TE-ML 16D, ZF TE-ML 17B, ZF TE-ML 19B, ZF TE-ML 21A, Scania STO 1:0.
Qualube Syntogear 75W/80 FE is a full synthetic based multi-grade high performance transmission lubricant.	75W/80 FE	API GL-4, DAF Eaton Europe (300,000km or 3 years) IVECO, MAN 341 Type E-3, MAN 341 Type Z-4, Volvo 97305, ZF TE-ML 01L, ZF TE-ML 02L, ZF TE-ML 08, ZF TE-ML 13, ZF TE-ML 16K Renault (In accordance with Renault note technique B0032/2 Annex 3).

SEMI-SYNTHETIC GEAR OIL	VISCOSITY	SPECIFICATIONS
A Semi-Synthetic multi-grade high performance gear lubricant, which can be used in both transmission & hypoid differentials.	75W/90	API GL-4, API GL-5, MIL 2105D.

## EASY WAYS TO BUY

There are a number of ways you can purchase our quality lubricants & paints. Either from our online shop, at one of our 3 depots, by telephone or contact us to apply for a trade account.



Online Shop



In Store



By Phone

LIMITED SLIP HD EP GEAR OILS	VISCOSITIES	SPECIFICATIONS
Qualube LS HD EP Gear Oils are a mineral based multi-grade high performance lubricant, incorporating extreme pressure additives that provide excellent boundary lubrication.	90	API GL-5, ZF TE-ML 05C, ZF TE-ML 07A, ZF TE-ML 08, ZF TE-ML 12C, ZF TE-ML 16E.
	80W/90	API GL-5, ZF TE-ML 05C, ZF TE-ML 07A, ZF TE-ML 08, ZF TE-ML 12C, ZF TE-ML 16E, ZF TE-ML 21C.

HD EP GEAR OILS	VISCOSITIES	SPECIFICATIONS
Qualube HD EP Gear Oils are a mineral based high performance lubricant, incorporating extreme pressure additives that provide excellent boundary lubrication. They offer excellent coverage across a wide range of temperatures. Covering many OEM and industry specifications and gives excellent coverage across mixed fleets of vehicles and equipment.	80	API GL-5, MIL PRF-2105D, MAN 342 M1, MAN 342 M2, VOLVO 1273.10.
	90	API GL-5, MIL PRF-2105D, MAN 342 M-1, MAN 342 M-2, ZF TE-ML 05A, 07A, ZF TE-ML 08, 12E, ZF TE-ML 16B, 17B, 19B, 21A, VOLVO 1273.10.
	140	API GL-5, ZF TE-ML 07A, ZF TE-ML 08.
	80W/90	API GL-5, MIL-L-2105D (obsolete), MAN 342 M-1, MAN 342 M-2, ZF-TE-ML 05A, ZF TE-ML 07A, 08, ZF TE-ML 12E, 16B, 16C, ZF TE-ML 17B, 19B, 21A.
	85W/140	API GL-5, MIL PRF-2105D, ZF-TE-ML 05A, ZF-TE-ML 07A, ZF-TE-ML 08, ZF-TE-ML 12E, ZF-TE-ML 16C, 16D, ZF-TE-ML 21A, VOLVO 1273.10.

EP GEAR OILS	VISCOSITIES	SPECIFICATIONS
Qualube EP GL4 Gear Oils are mineral based high performance lubricants, incorporating extreme pressure additives that provide excellent boundary lubrication. These gear oils offer excellent coverage across a wide range of temperatures, covering many OEM and industry specifications and gives excellent coverage across mixed fleets of vehicles and equipment.	80	API GL-4, MAN 341 Z-2, ZF-TE-ML 17A, ZF-TE-ML 02B.
	90	API GL-4, ZF-TE-ML 02B, ZF-TE-ML 17.
	140	API GL-4.
	80W/90	API GL-4, ZF-TE-ML 02B, MAN 341 Z-2, ZF-TE-ML 17A, MAN 341 E-2.
	85W/140	API GL-4.

## AVAILABLE SIZES

- 1 Litre
- 5 Litres
- 25 Litres
- 200 Litres
- Bulk







Our popular range of Automatic Transmission Fluids (ATF's) are designed for automatic transmission systems, power steering operations and some manual gearboxes.

MULTI-FUNCTIONAL ATF (FS ATF MF)	TYPE	SPECIFICATIONS
Automatic transmissions are extremely complicated and sophisticated devices that require a specially formulated fluid to allow them to function correctly. Qualube FS ATF MF has been manufactured specifically to meet these requirements.	FS - ATF - MF	Allison C-4, Allison TES-389, Allison TES-295 (100,000 miles), MAN 339F, MAN 339 Type V-1 & V-2, MAN 339 Type Z-1 & Z-2 Voith H55.6335, Voith H55.6336, Volvo 97340 & 97341, ZF TE-ML 04D, 16L, ZF TE-ML 03D, 05L, 17C, ZF TE-ML 14A & B, ZF TE-ML 20B, ZF TE-ML 21L, Isuzu NPR ECO-MAX, NPR-HD, NPR-XD, NQR & NRR-SCS.

AUTOMATIC TRANSMISSION FLUID	TYPE	SPECIFICATIONS
Qualube Automatic Transmission Fluids are composed of high viscosity index base oils, additive treated to give fluidity down to very low temperatures, together with good lubrication at high temperatures. Often used in power steering units and some hydraulic systems.	Type D3	General Motors Dexron®IIIH, Ford Mercon®, Allison C-4, Allison TES 389, CAT TO-2, Volvo 97325, 97335, 97340 & CE 97341, ZF TE-ML-02F, 03D, 04D, 05L, ZF TE-ML-09 and 11A, ZF TE-ML-14A, 17C and 21L, MAN 339 Type Z-1 and V-1, MB 236.1, 236.5 and 236.9.
	Type D	Dexron®-IID, Mercon®, Voith 55.6335, MB 236.5, ZF TE-ML 04D, ZF TL-ML 05L, ZF TE-ML 09, ZF TE-ML, 11A ZF TE-ML 14A, ZF TE-ML 21L, Caterpillar TO-2, Allison C-4, Volvo 97335, Volvo 97340, MAN 339 TYPE V-1, MAN 339 TYPE Z-1, Volvo 97325, Allison TES-228 (C4), Ford Pre-2005.
	Type G	ESW-M2C33-G and SQM-2C-9007AA.
	Type A Suffix A	Type A Suffix A (TASA).



Our trusted range of universal brake and clutch fluids are blended with special additives that prevent fluid oxidation, rust and the swelling of the piston seals used in conventional brake systems. They are manufactured to exceed vehicle manufacturer's standards and have been designed for use at high temperatures under the most severe conditions, so helping the force of the braking process.

BRAKE FLUID DOT 4	SPECIFICATIONS
A Heavy Duty Brake Fluid, which exceeds the performance requirements of SAE J1704, and the FMVSS No. 116 Dot 4 specifications.	SAE J1704, and the FMVSS No.116 Dot 4 specifications.

BRAKE FLUID DOT 5.1	SPECIFICATIONS
Qualube Brake Fluid DOT 5.1 is a glycol ether based fluid formulated exclusively from virgin materials to exceed the requirements of the major internationally recognised hydraulic brake fluid standards.	FMVSS No 116 DOT5.1, SAE J1704 and ISO4925 Class 5.1.

LHM+ BRAKE FLUID	SPECIFICATIONS
Primarily designed for use in Citroen hydro-pneumatic and brake system where a common fluid is used (Warning: Only suitable for hydraulic reservoirs painted Green).	PSA Peugeot Citroën B71 2710, Ford ESN M6C 59A and ISO 7308.

#### WE'RE HERE TO HELP...



Need some extra clarification on which oil to use? Would you like a free lubricant survey or a chat about a technical problem?

Call your nearest depot for friendly, expert help.



Lincoln  
01522 521192



Soham  
01353 723373



Lowestoft  
01502 563434





Greases are designed for a vast array of specific uses. Correct quality grease lubrication is vital to extend the life of the components, reduce corrosion and enhance equipment reliability and performance. Manufactured using the latest high quality raw materials, our range includes greases for a wide variety of vehicles and machinery and are tried and tested using the ever changing latest technology. We can also offer greases suitable for environmentally sensitive and many other applications. Visit our website to see the whole range.

LITHIUM COMPLEX	CLASSIFICATION	BENEFITS
This NLGI.2 grease is used in applications where high temperature and load carrying is required. It also incorporates a tacky additive to give excellent resistance to water. Often used as a general purpose grease where washing down is frequent.	NLGI.2	<ul style="list-style-type: none"><li>• Exceptional mechanical stability extends re-lubrication intervals</li><li>• Excellent oxidation stability provides lasting lubrication at high temperatures</li><li>• Excellent load bearing properties and anti-wear performance</li><li>• Good corrosion resistance protects components operating in wet and arduous conditions</li></ul>
LITHIUM EXTREME PRESSURE 1 / 2	CLASSIFICATION	BENEFITS
Lithium based NLGI.1 grease incorporating extreme pressure additives for greater wear protection.	NLGI.1	<ul style="list-style-type: none"><li>• Excellent extreme pressure and anti-wear performance</li><li>• High degree of corrosion protection</li><li>• Highly versatile multi-purpose grease</li><li>• Excellent pumpability properties</li></ul>
An extreme pressure NLGI.2 grease, this multi-purpose product is specified by many manufacturers.	NGLI.2	
LITHIUM HEAVY GREASE	CLASSIFICATION	BENEFITS
An NLGI.3 lithium based grease, often used in older applications where a thicker product is required.	NLGI.3	<ul style="list-style-type: none"><li>• Versatile multi-purpose grease</li><li>• Good corrosion protection</li><li>• Good sealing properties</li></ul>
LITHIUM COMPLEX EXTREME PRESSURE MOLY	CLASSIFICATION	BENEFITS
A high quality multi-purpose grease for use in anti-friction and plain bearings. Used extensively for applications throughout industry and the automotive sector.	NLGI.2	<ul style="list-style-type: none"><li>• Exceptional mechanical stability extends re-lubrication intervals</li><li>• Good oxidation stability provides lasting lubrication at high temperatures</li><li>• Good corrosion resistance protects components operating in wet conditions</li><li>• High degree of shock load and anti-wear resistance prolongs component life</li></ul>

## GRAPHITED GREASE

This NLGI.2 calcium based grease incorporates high levels of graphite and excellent water resistance, often used on truck fifth wheels.

## CLASSIFICATION

NLGI.2

## BENEFITS

- A high level of lubricating solids keeps working surfaces apart and substantially extends component life
- Being fully resistant to water, extends the life of the lubricant and protects components from corrosion
- Adhesion improvers provide increased lasting protection

## SILICONE GREASE

Qualube Silicone Grease is a WRAS approved silicone compound meeting BS6920-1:2000 for the lubrication of valves and stopcocks in gas systems over a wide temperature range.

## CLASSIFICATION

NLGI.2

## BENEFITS

- Resistant to a wide range of different chemicals and gases
- Due to its thixotropic nature, the compound thickens up after movement to ensure excellent sealing properties
- Protects components from corrosion and seizure
- WRAS approved product

## COPPER GREASE

This product is often used in the assembly of various components, and used to reduce noise on the reverse of new brake shoes.

## CLASSIFICATION

NLGI.1 / 2

## BENEFITS

- Prevents seizure and galling during assembly and therefore reduces assembly time
- Enables the easy dismantling of components subjected to high temperatures
- Provides an effective anti-seize in saturated conditions, including chemical environments and salt water
- Enables fast and easy dismantling of components, allowing them to be reused after dismantling

## PETROLEUM JELLY

A white petroleum jelly of medicinal quality, used by various industries for a multitude of applications.

## CLASSIFICATION

N/A

## BENEFITS

- Can be used in a variety of applications including battery terminals

## FIND THE RIGHT OIL



Need extra clarification on which grease to use? Call us for specialist, friendly help at your nearest depot or visit our online Lubricant Finder at: [www.withamgroup.co.uk](http://www.withamgroup.co.uk)







AUTOMOTIVE & PASSENGER CAR

# PROLAN PROTECTIVE LUBRICANTS



Our award winning Prolan lanolin-based lubricants are truly remarkable products for use in the fight against rust, corrosion and ongoing maintenance. These all-round lubricants will ensure that you extend the longevity of all your equipment and loosen up well rusted parts.

Prolan can be used for a multiple of applications – from being a general workshop and household lubricant, to the specific protection and preservation choice of metals, wood and electronic components from corrosion and wear. It is also safe to use on rubber and other synthetic materials, providing a natural barrier that will not cause perishing.

The Prolan range is environmentally sensitive, biodegradable and certified for the food-grade industry. Around the workshop it's safe, easy to apply and clean to use. The key ingredient, Lanolin, is non-toxic and non-carcinogenic, which helps with the protection of our environment especially in rivers, oceans, marinas, forest and land areas.

## AVAILABLE IN 3 STRENGTHS & VISCOSITIES

### PROLAN MEDIUM GRADE

- Multi-purpose general workshop lubricant for rust protection
- Resists acids and alkalis
- Frees up frozen components
- Lubricant for drilling, cutting, machining and pressing
- Electrical wiring and connections, non-conductive up to 70KV, won't break down rubber or wiring
- Environmentally friendly and biodegradable
- Internationally certified by NSF for worldwide certification in food processing industries
- Available in 1 litre, 5 litre, 25 litre and 250ml aerosol.

### PROLAN HEAVY GRADE

- Long lasting rust protection for vehicles and machinery; saves time on re-application
- Stays on in harsh conditions (sand, salt, mud, fertiliser)
- Increases machinery life and may increase resale value
- Environmentally friendly and biodegradable
- Internationally certified by NSF for worldwide certification in food processing industries
- Available in 1 litre, 5 litre, 25 litre and 400ml aerosol.

### PROLAN ANTI-SEIZE GREASE

- An incredibly long lasting grease that saves time and money on multiple re-application. Proven to last up to 30 years
- Protects metal, rubber and battery terminals from corrosion caused by water, moisture, acid and salt
- Extremely good anti-seize prevention for stainless steel threads
- Lifts rust scale, cleans metal and frees up seized parts
- Can be used in and around electrical connections to prevent moisture penetration and corrosion
- Environmentally friendly and biodegradable
- Internationally certified by NSF for worldwide certification in food processing industries
- Available in 100ml, 500ml and 4 litres.

One aerosol can of Prolan liquid lubricant replaces a multitude of other workshop lubricants. One tub of anti-seize grease can keep your vehicles, machinery and equipment in tip top shape for many years. By using this quality range, Prolan, you will save valuable time and money by reducing maintenance and the cost of replacement as well as helping the environment around you, your home and your business.



AUTOMOTIVE & PASSENGER CAR

# ANTI-FREEZE & COOLANTS



## QUALGUARD

UNIVERSAL COOLANT

We have the perfect range of Anti-Freeze and Coolants to protect your engines from frost damage, overheating and corrosion in both older and brand new vehicles. For all year-round temperature stability, the choice of correct coolant has never been more important. Time and again it has been proved that putting the right product in your engines makes all the difference to the increased performance, efficiency and reliability of your vehicles.

## Choose from 3 High Quality Coolants...

### QUALGUARD HYBRID CONCENTRATED COOLANT

This is the latest generation of top quality Long-Life Universal Coolants which meets the performance requirements of the majority of agricultural and commercial Original Equipment Manufacturer's specifications. As a Hybrid product it is based on up to the minute silicate and carboxylate inhibitor technology and is suitable for vehicles made after 2005, right up to the present day. This Anti-freeze provides outstanding engine maintenance free protection in temperatures as low as -40°C and also acts as a summer coolant in hot temperatures. Offering all year round protection, it also helps prevent rust and corrosion in cooling systems when mixed with the right amount of water.

### QUALGUARD HYBRID 50/50 COOLANT

Ready to use, this is a pre-mixed coolant version with all the benefits. Already diluted, this option means you can apply it directly into your coolant system without the fuss.

### UNIVERSAL BLUE ANTI-FREEZE

This is a great all round product, designed to protect both cast iron and aluminium engines from frost damage as well as defending against rust and corrosion in the cooling system. This versatile anti-freeze, cleverly operates as a coolant in the hot summer months shielding the engine from overheating and is therefore suitable for all year round use. Blue in colour, this is also ideal for both new and older vehicles and is perfect for use in cars, vans, buses, coaches, trucks and other plant and agricultural machinery where a non OAT (Organic Acid Technology) or Hybrid Coolant is not required. A Mono Ethylene Glycol based anti-freeze, this product also meets the requirements of BS 6580:1992.



ENGINE  
PROTECTION  
ALL YEAR  
ROUND







## ESSENTIAL PRODUCTS FOR EVERYDAY USE

From Hand Cleaners to Screenwash, Cleaning Rags to Rust Prevention, we sell lots of handy products to help you do your job more easily. As well as the products listed below we can also provide jugs, funnels, spillage kits and much, much, more! So if you need anything else and you can't find it here just contact us and we will be glad to help.

## CLEANING SOLUTIONS



## QUALKLEEN HEAVY DUTY HAND CLEANER

QualKleen heavy-duty hand cleaner contains natural orange oil, pumice and esters. Designed to remove the most ingrained oils, greases, paints, inks, tar, general dirt and grime. The pumice and esters give superior performance, coupled with moisturisers and an orange fragrance to leave the hands feeling fresh and clean. Ideal for workshops, farms and garages.

**Award Winning Formula**

PACK SIZES - 1, 4 & 5 LITRES

## QUALCARE HAND CLEANER

QualCare is a high quality, white pearlised hand soap with added conditioners, pleasantly perfumed and kind to hands. Ideal for washrooms, work and home.

**Moisturising Hand Cleaner**

PACK SIZES - 1, 4 & 5 LITRES



1LTR DISPENSER

4LTR DISPENSER

5LTR DISPENSER

## QUALKLEEN &amp; QUALCARE DISPENSERS &amp; 5LTR PUMP DISPENSER

Keep your washrooms clean and tidy with our wall mounted 1 & 4 Ltr vertical soap dispensers, easy to install and features a hygienic push button operation. Easily mounted on the wall by means of screws with corresponding wall plugs. Our 5 Ltr soap dispenser pump, simply replaces the existing lid from the 5Ltr QualKleen & QualCare hand cleaner containers.

## SKIN CLEANSING WIPES

Rapidly cleans dirt and grease off hands. Trade strength - for workshop or domestic use. 200 wipes in one handy tub dispenser.



PACK SIZES - 200 WIPES PER DISPENSER

## ALL SEASONS SCREENWASH

An excellent all season concentrated screenwash. Removes traffic film, dirt and insect residue. Helps prevent freezing during the winter months.



PACK SIZES - 5 LITRES



## GENERAL PURPOSE TFR

Our General Purpose Traffic Film Remover (TFR) is used in power wash sprayers and high pressure cleaning equipment. This special detergent is diluted to remove stubborn dirt, traffic film and road coatings from all vehicles. A great all round product for home and business use.

PACK SIZES - 25 LITRES



## GOLD TFR

Our Gold top quality Traffic Film Remover (TFR) not only cleans off dirt, grease and road grime easily but also leaves vehicles with a high gloss shiny finish. Suitable for use on all vehicles, and types of paint, this is our best-selling vehicle cleaner.

PACK SIZES - 25 LITRES

## SOLVENT DEGREASER FLUID

Our degreaser is a solvent based cleaning fluid that is used neat to rapidly dissolve oil, grease and other deposits which bind dirt particles to the surface of the component.



PACK SIZES - 1, 5 & 25 LITRES



## ABSORBENT GRANULES

Multi-purpose soft clay absorbent granules which is ideal for all types of liquid spillages including oil. This is a vital workshop and garage staple and available in 20Ltr bags.

PACK SIZES - 20 LITRES

## PALE PINE DISINFECTANT

Our Pale Pine Disinfectant provides a safe, powerful and economical bacteria free cleaning action which has been designed to kill germs, overcome offensive odours and control and remove dirt from a wide variety of surfaces.

PACK SIZES - 1, 5 & 25 LITRES



## CITRUSOL FAST ACTING CLEANER

A concentrated fast acting citrus-based cleaner and degreaser that offers maximum cleaning power. Citrusol removes dirt and grime quickly and safely leaving a fragrant fresh, aroma. Ideal to clean diesel oil, food oil, fats, grease, tobacco film, mineral oils, rubber, traffic film, and engineering oil from stainless steel, machinery, equipment, vehicles, work surfaces, vinyl, paint, ceramic, plastic, anti-slip surfaces and concrete.

PACK SIZES - 5 & 25 LITRES



## CLEANING RAGS

These high quality cotton rags are excellent for general workshop and industrial use. They come in 2 handy 10kg bags in a mix of colours and are extremely absorbent and robust.



PACK SIZES - 20KG

## HIGH ACTIVE DETERGENT

This soap based water soluble detergent is suitable for many applications including vehicle washing and valeting.

PACK SIZES - 5 & 25 LITRES



## PAPER ROLL WIPES

Paper Roll Wipes are a commercial size product incorporating 850 sheets and 2 ply construction. They resist tearing and provide a clean disposable solution to rags. A must have in your workshop!



PACK SIZES - TWIN PACK





## RUST PREVENTION &amp; LUBRICATION

## RUSTAREST

Qualube Rustarest is a solvent water displacing corrosion inhibitor. It provides a light, greasy film which provides long term protection to all metals and surfaces and is particularly useful to cover outdoor storage areas, protecting against rust with its excellent water repelling properties.



PACK SIZES - 1, 5 &amp; 25 LITRES

WATER  
DISPLACEMENT  
FLUID

This product is designed to remove and displace water on surfaces and then provide protection from moisture and corrosion thereafter. Its greasy film has non-staining properties and protects against salt damage and rust on many components.



PACK SIZES - 1, 5 &amp; 25 LITRES

## MULTI-EASE AEROSOL

A multi-purpose clear lubricant in aerosol cans which is great to keep in your garage or workshop for all round use. It helps drive out moisture, protects against corrosion, loosens rusted metal parts, dissolves dirt and grime and lubricates working parts.



PACK SIZES - 500ML

BEST  
SELLER

## CHAIN OIL

This is a great addition to your business, workshop or home. Designed to get your chain and machinery working well as quickly as possible. With excellent penetration and lubrication properties this product can be used on chainsaws, cycle chains, chain drives, pulleys, rollers, conveyors, forklifts, bearings, hoists and hinges.



PACK SIZES - 1, 5 &amp; 25 LITRES

OPEN GEAR &  
WIRE ROPE  
LUBRICANT

Formulated for all exposed gears, steel cables and heavy duty chains. This spray reaches the very core of wire ropes and helps to displace water resulting in excellent rust protection.



PACK SIZES - 500ML

PROLAN MEDIUM  
AND HEAVY GRADE AEROSOLS

- Multi-purpose general workshop lubricant for rust protection
- Resists acids and alkalis
- Frees up frozen components, padlocks, hinges, fasteners, door handles and tools
- Internal motor component preservation – safe inside boat motors
- Lubricant for drilling, cutting, machining and pressing
- Electrical wiring and connections, non-conductive up to 70KV, won't break down rubber or wiring
- Environmentally friendly and biodegradable
- Internationally certified by NSF for worldwide certification in food processing industries.



PACK SIZES - MEDIUM 250ML &amp; HEAVY 500ML

GRAPHITE  
PENETRATING OIL

Graphite Penetrating Oil has been specifically designed for the most challenging of restorations. Incorporating high levels of graphite this fluid will give the best chance of releasing corroded components without damaging them.



PACK SIZES - 500ML

## OTHER USEFUL ITEMS

CONCRETE  
MOULD OIL

A water-in oil, oil phased emulsion (commonly known as Soap Oil). White in colour, of creamy consistency and exceptional stability brush apply only.



PACK SIZES - 5 &amp; 25 LITRES

## SOLUBLE CUTTING OIL

A new generation of cost effective biostable water-mix metalworking fluids. It has been specially designed to incorporate the latest advances in additive technology. This product has been developed to provide moderate levels of boundary lubrication whilst being free of chlorinated extreme pressure compounds and forms a micro-emulsion when diluted with water.



PACK SIZES - 1, 5 &amp; 25 LITRES

## TRANSFORMER OIL

Qualube Transformer Oil is an electrical insulating oil designed to meet the challenges presented by the latest power transformers. It offers an extended oil life with the peace of mind of zero sulphur content. Manufactured to have an excellent response to anti-oxidant and is free from PCBs, DSDS & passivators.



PACK SIZES - 1, 5 &amp; 25 LITRES

## SULPHURISED CUTTING OIL

Formulated using high film strength additives to give better hydrodynamic performance than its viscosity would suggest. Containing chemically active components which provide good tool life and low oil consumption. Designed particularly for use in operations of medium to hard severity, providing excellent performance under the load, high temperature environment of wall ironing allowing the production of components with wall thickness as low as 0.2mm whilst maintaining dimensional accuracy and preventing pick-up.

PACK SIZES - 1, 5 &amp; 25 LITRES

PROLAN  
ANTI-SEIZE  
GREASE

An incredibly long lasting grease that saves time and money on multiple re-application. Proven to last up to 30 years.

- Protects metal, rubber and battery terminals from corrosion caused by water, moisture, acid and salt.
- Extremely good anti-seize prevention for stainless steel threads.
- Lifts rust scale, cleans metal and frees up seized parts.
- Can be used in and around electrical connections to prevent moisture penetration and corrosion
- Environmentally friendly and biodegradable
- Internationally certified by NSF for worldwide certification in food processing industries



Available in 100ml, 500ml &amp; 4 litres.



Call your local depot for more information...

Lincoln 01522 521192

Soham 01353 723373

Lowestoft 01502 563434







We don't just supply oils and greases! Since 1921 we have been manufacturing and supplying a whole range of useful paints and coatings for a wide range of industries including agriculture. From fence protection to paint for stables and barns, we also offer paints for internal use as well as paint for machinery and trailers. Call us for more information on how we can help.

**SUPERCOTE GLOSS**

A single pack synthetic, fast drying, paint which exhibits a high gloss finish and offers excellent durability. This product has a wide range of uses, but is particularly suitable for vehicle refinishing, industrial applications, interior and exterior of clad buildings and agricultural use.

Available in an extensive range of OEM, RAL, BS4800 and BS381c colours and agricultural shades.

Available In:



Application Methods:

**SUPERCOTE UNDERCOAT / PRIMER**

The ideal, all round primer and undercoat is specifically designed for use with our Supercote Enamel Gloss top coat. Contains Zinc Phosphate for corrosion protection of steelwork. Suitable for use on ferrous metal, and many other surfaces.

Available in White, Buff, Pale grey, Mid grey and Red oxide.

Available In:



Application Methods:

**ZINC RICH UNDERCOAT / PRIMER**

An extremely heavy duty, anti-corrosive coating, which is ideal for extending the life of steelwork. A form of cold galvanising, this product has been awarded "Best Buy" in Practical Classics magazine.

Available In:



Application Methods:

**FLOOR PAINTS**

We also offer a great range of floor paints to help keep your working areas protected, smart and safe.

**Koverflor Polyurethane Floor Paint**

An outstanding polyurethane based, quick drying, single pack oil and petrol resisting paint. Ideal for use on clean, dry mature concrete, brickwork, quarry tiles, stone, wood and linoleum. It gives a tough abrasion resistance finish and reliable on surfaces that are subject to hard wear. Using this product can also prevent a cement floor from 'dusting up'. It is recommended for many uses but especially used in offices, corridors, workshops, show rooms and high pedestrian traffic areas.

**Koverflor Epoxy Floor Paint**

This ever-popular product gives an outstanding hardness and abrasion resistant coating. Designed to be resistant to a wide range of chemicals, detergents, minerals, vegetable oils and the large majority of solvents. Can be used on new and mature concrete, quarry tiles and paving stones. A heavy duty coating resistant to heavy traffic.

**Koverflor Chlorinated Rubber Floor Paint**

An excellent rubber based floor paint for use on strongly alkaline surfaces, such as new concrete or where a high degree of chemical resistance is required. This product is ideal for use in chemical plants, water works, sewage installations, milking parlours, canteens, dairies and workshops, where resistance to chemicals, urine, acids, petrol and lubricating oils is important. An extremely robust paint, this is also ideal for agricultural uses, stables and kennels.

**Epoxy Water Based Floor Paint**

A hard wearing, water based, solvent free two pack floor coating for use in areas of heavy traffic, i.e. fork lift trucks and vans. It contains no organic solvents and has only a low odour with no surface tackiness. This product can be applied to damp substrates and offers an extremely high level of abrasion resistance. It is also tolerant to aggressive cleaning methods and provides extremely good chemical resistance.







## BARN PAINT

Our Barn Paint is certainly proving to be popular. Flying off the shelves for workshops, farmers, house owners, decorators and builders to name a few, this paint offers outstanding protection. It is so easy to apply and yet instantly improves the appearance of virtually any outbuildings, garages, barns, stables, sheds, silos, windmills, factory units, houses, extensions and all types of timber or metal cladding.

Highly recommended for its excellent coverage to fencing, gates, garage doors, tanks, drainpipes, doors, windows and many other areas around businesses and homes, customers are using this on anything from garden furniture to plant pots.

## ENVIRONMENTALLY FRIENDLY

- ✓ Water Based
- ✓ Low Odour
- ✓ Non-Toxic
- ✓ Easy to Apply
- ✓ Safe for User



Available In:



Application Methods:

witham  
GROUP

## A STROKE OF GENIUS

WOCO BARN PAINT



Available in a choice of seven popular colours

[www.withamgroup.co.uk](http://www.withamgroup.co.uk)

## CREOCOTE WOOD PRESERVATIVE

This product exhibits the characteristic odour familiar to traditional creosote users. This creosote substitute is ideally suited to rough woods on sheds, fences and barns and provides excellent surface water repelling properties and so restricts weather damage.

Creocote can be used on a variety of exterior woods, not only to protect and preserve but also to improve grain definition. Available in Dark "Nut Brown" shade, in either 4 or 20 Litres.



## Traditional Creosote

We supply Creosote to professional users in the agriculture and building industries for use as a wood treatment against wood rotting fungi and wood destroying insects on external timbers.

The sale of Creosote is governed by environmental and health and safety legislation and can only be sold to trade account customers. Please contact your nearest depot to purchase.

Available in: 25 & 205 Ltr barrels.

## We stock a huge range of other paints &amp; coatings

To see the full range and for more information visit: [www.withamgroup.co.uk](http://www.withamgroup.co.uk)

INDUSTRIAL PAINTS  
& COATINGS

BARN PAINT

WOODCARE  
TREATMENTSDECORATIVE  
PAINTSSPECIALIST  
PAINTSPOWDER  
COATINGUNDERCOATS  
& PRIMERSFLOOR &  
LINE MARKINGMARINE &  
ANTI-FOULINGEQUESTRIAN  
PAINTSHELPFUL HINTS  
& CLEANINGFREE COLOUR  
MATCHING  
SERVICE

## WE'RE HERE TO HELP...



Need some extra clarification on which paint to use? Would you like a free survey or a chat about a technical paint problem?

Call your nearest depot for friendly, expert help.

Lincoln  
01522 521192Soham  
01353 723373Lowestoft  
01502 563434





# witham

GROUP

**British Manufacturer of Quality Lubricants & Paints Since 1921**



**AGRICULTURAL**



**COMMERCIAL  
VEHICLES**



**AUTOMOTIVE  
& PASSENGER CAR**



**PLANT & OFF ROAD**



**CLASSIC & VINTAGE**



**MARINE**



**HORTICULTURE**



**ENVIRONMENTALLY  
SENSITIVE**



**INDUSTRIAL PAINTS  
& COATINGS**



**ANTI-FREEZE  
& COOLANTS**



**WORKSHOP  
& CLEANING**



**MOTORSPORT  
& MOTUL**

**Qualube**  
THE QUALITY LUBRICANT

**MOTUL**

**OFFICIAL  
UK DISTRIBUTOR  
AUTOMOTIVE  
LUBRICANTS**

**Woco**  
THE QUALITY PAINT

**WITHAM OIL & PAINT (SOHAM) LTD**  
28 Regal Drive Soham  
Cambs CB7 5BE  
☎ 01353 723373

**HEAD OFFICE  
WITHAM OIL & PAINT LTD**  
Outer Circle Road  
Lincoln LN2 4HL  
☎ 01522 521192

**WITHAM OIL & PAINT (LOWESTOFT) LTD**  
5-6 Newcombe Road Lowestoft  
Suffolk NR32 1XA  
☎ 01502 563434

[www.withamgroup.co.uk](http://www.withamgroup.co.uk)